



June 6, 2014

Re: Cancellation/Obsolescence: SL Pin Headers

To Whom It May Concern:

In an effort to streamline our product offering and to focus our resources on new and core products, Weidmüller has begun discontinuing pin headers with 4.5mm length solder pins. In its place, Weidmüller is offering pin headers with 3.2mm length solder pins. In order to avoid any order delays or cancellations, we recommend transitioning over to the replacement parts as soon as possible.

If there are further questions or you need assistance with locating the proper replacement parts, please feel free to contact me, our Customer Service or Technical Support departments at 1-800-849-9343.

Regards,

John

John F. Froustet
Portfolio Marketing Manager
Printed Circuit Board Products
Weidmüller
Phone: (804) 379 - 6015
Mobile: (804) 677 - 2817
jfroustet@weidmuller.com

Mark For Cancellation		Replacement	
Part Number	Description	Part Number	Description
1630820000	SL 5.00/02/135 4.5SN BK BX	tbd	SL 5.00/02/135 3.2SN BK BX
1630830000	SL 5.00/03/135 4.5SN BK BX	tbd	SL 5.00/03/135 3.2SN BK BX
1630840000	SL 5.00/04/135 4.5SN BK BX	tbd	SL 5.00/04/135 3.2SN BK BX
1630850000	SL 5.00/05/135 4.5SN BK BX	tbd	SL 5.00/05/135 3.2SN BK BX
1630860000	SL 5.00/06/135 4.5SN BK BX	tbd	SL 5.00/06/135 3.2SN BK BX
1630870000	SL 5.00/07/135 4.5SN BK BX	tbd	SL 5.00/07/135 3.2SN BK BX
1630880000	SL 5.00/08/135 4.5SN BK BX	tbd	SL 5.00/08/135 3.2SN BK BX
1630890000	SL 5.00/09/135 4.5SN BK BX	tbd	SL 5.00/09/135 3.2SN BK BX
1630900000	SL 5.00/10/135 4.5SN BK BX	tbd	SL 5.00/10/135 3.2SN BK BX
1630910000	SL 5.00/11/135 4.5SN BK BX	tbd	SL 5.00/11/135 3.2SN BK BX
1630920000	SL 5.00/12/135 4.5SN BK BX	tbd	SL 5.00/12/135 3.2SN BK BX
1630930000	SL 5.00/13/135 4.5SN BK BX	tbd	SL 5.00/13/135 3.2SN BK BX
1630940000	SL 5.00/14/135 4.5SN BK BX	tbd	SL 5.00/14/135 3.2SN BK BX
1630950000	SL 5.00/15/135 4.5SN BK BX	tbd	SL 5.00/15/135 3.2SN BK BX
1630960000	SL 5.00/16/135 4.5SN BK BX	tbd	SL 5.00/16/135 3.2SN BK BX
1630970000	SL 5.00/17/135 4.5SN BK BX	tbd	SL 5.00/17/135 3.2SN BK BX
1630980000	SL 5.00/18/135 4.5SN BK BX	tbd	SL 5.00/18/135 3.2SN BK BX
1630990000	SL 5.00/19/135 4.5SN BK BX	tbd	SL 5.00/19/135 3.2SN BK BX
1631000000	SL 5.00/20/135 4.5SN BK BX	tbd	SL 5.00/20/135 3.2SN BK BX
1631010000	SL 5.00/21/135 4.5SN BK BX	tbd	SL 5.00/21/135 3.2SN BK BX
1631020000	SL 5.00/22/135 4.5SN BK BX	tbd	SL 5.00/22/135 3.2SN BK BX
1631030000	SL 5.00/23/135 4.5SN BK BX	tbd	SL 5.00/23/135 3.2SN BK BX
1631040000	SL 5.00/24/135 4.5SN BK BX	tbd	SL 5.00/24/135 3.2SN BK BX
1631050000	SL 5.00/02/135B 4.5SN BK BX	tbd	SL 5.00/02/135B 3.2SN BK BX
1631060000	SL 5.00/03/135B 4.5SN BK BX	tbd	SL 5.00/03/135B 3.2SN BK BX
1631070000	SL 5.00/04/135B 4.5SN BK BX	tbd	SL 5.00/04/135B 3.2SN BK BX
1631080000	SL 5.00/05/135B 4.5SN BK BX	tbd	SL 5.00/05/135B 3.2SN BK BX
1631090000	SL 5.00/06/135B 4.5SN BK BX	tbd	SL 5.00/06/135B 3.2SN BK BX
1631100000	SL 5.00/07/135B 4.5SN BK BX	tbd	SL 5.00/07/135B 3.2SN BK BX
1631110000	SL 5.00/08/135B 4.5SN BK BX	tbd	SL 5.00/08/135B 3.2SN BK BX
1631120000	SL 5.00/09/135B 4.5SN BK BX	tbd	SL 5.00/09/135B 3.2SN BK BX
1631130000	SL 5.00/10/135B 4.5SN BK BX	tbd	SL 5.00/10/135B 3.2SN BK BX
1631140000	SL 5.00/11/135B 4.5SN BK BX	tbd	SL 5.00/11/135B 3.2SN BK BX
1631150000	SL 5.00/12/135B 4.5SN BK BX	tbd	SL 5.00/12/135B 3.2SN BK BX
1631160000	SL 5.00/13/135B 4.5SN BK BX	tbd	SL 5.00/13/135B 3.2SN BK BX
1631170000	SL 5.00/14/135B 4.5SN BK BX	tbd	SL 5.00/14/135B 3.2SN BK BX
1631180000	SL 5.00/15/135B 4.5SN BK BX	tbd	SL 5.00/15/135B 3.2SN BK BX
1631190000	SL 5.00/16/135B 4.5SN BK BX	tbd	SL 5.00/16/135B 3.2SN BK BX
1631200000	SL 5.00/17/135B 4.5SN BK BX	tbd	SL 5.00/17/135B 3.2SN BK BX
1631210000	SL 5.00/18/135B 4.5SN BK BX	tbd	SL 5.00/18/135B 3.2SN BK BX
1631220000	SL 5.00/19/135B 4.5SN BK BX	tbd	SL 5.00/19/135B 3.2SN BK BX
1631230000	SL 5.00/20/135B 4.5SN BK BX	tbd	SL 5.00/20/135B 3.2SN BK BX
1631240000	SL 5.00/21/135B 4.5SN BK BX	tbd	SL 5.00/21/135B 3.2SN BK BX
1631250000	SL 5.00/22/135B 4.5SN BK BX	tbd	SL 5.00/22/135B 3.2SN BK BX
1631260000	SL 5.00/23/135B 4.5SN BK BX	tbd	SL 5.00/23/135B 3.2SN BK BX
1631270000	SL 5.00/24/135B 4.5SN BK BX	tbd	SL 5.00/24/135B 3.2SN BK BX
1626390000	SL 5.00/02/180 4.5SN BK BX	1847420000	SL 5.00/02/180 3.2SN BK BX
1626400000	SL 5.00/03/180 4.5SN BK BX	1907660000	SL 5.00/03/180 3.2SN BK BX
1626410000	SL 5.00/04/180 4.5SN BK BX	1111480000	SL 5.00/04/180 3.2SN BK BX
1626420000	SL 5.00/05/180 4.5SN BK BX	1111490000	SL 5.00/05/180 3.2SN BK BX
1626430000	SL 5.00/06/180 4.5SN BK BX	1111500000	SL 5.00/06/180 3.2SN BK BX
1626440000	SL 5.00/07/180 4.5SN BK BX	1733760000	SL 5.00/07/180 3.2SN BK BX
1626450000	SL 5.00/08/180 4.5SN BK BX	1847440000	SL 5.00/08/180 3.2SN BK BX

1626460000	SL 5.00/09/180 4.5SN BK BX	1733770000	SL 5.00/09/180 3.2SN BK BX
1626470000	SL 5.00/10/180 4.5SN BK BX	tbd	SL 5.00/10/180 3.2SN BK BX
1626480000	SL 5.00/11/180 4.5SN BK BX	tbd	SL 5.00/11/180 3.2SN BK BX
1626490000	SL 5.00/12/180 4.5SN BK BX	tbd	SL 5.00/12/180 3.2SN BK BX
1626500000	SL 5.00/13/180 4.5SN BK BX	tbd	SL 5.00/13/180 3.2SN BK BX
1626510000	SL 5.00/14/180 4.5SN BK BX	tbd	SL 5.00/14/180 3.2SN BK BX
1626520000	SL 5.00/15/180 4.5SN BK BX	tbd	SL 5.00/15/180 3.2SN BK BX
1626530000	SL 5.00/16/180 4.5SN BK BX	tbd	SL 5.00/16/180 3.2SN BK BX
1626540000	SL 5.00/17/180 4.5SN BK BX	tbd	SL 5.00/17/180 3.2SN BK BX
1626550000	SL 5.00/18/180 4.5SN BK BX	tbd	SL 5.00/18/180 3.2SN BK BX
1626560000	SL 5.00/19/180 4.5SN BK BX	tbd	SL 5.00/19/180 3.2SN BK BX
1626570000	SL 5.00/20/180 4.5SN BK BX	tbd	SL 5.00/20/180 3.2SN BK BX
1626580000	SL 5.00/21/180 4.5SN BK BX	tbd	SL 5.00/21/180 3.2SN BK BX
1626590000	SL 5.00/22/180 4.5SN BK BX	tbd	SL 5.00/22/180 3.2SN BK BX
1626600000	SL 5.00/23/180 4.5SN BK BX	tbd	SL 5.00/23/180 3.2SN BK BX
1626610000	SL 5.00/24/180 4.5SN BK BX	tbd	SL 5.00/24/180 3.2SN BK BX
1713410000	SL 5.00/3/2 180 4.5SNSW	tbd	SL 5.00/3/2 180 3.2SNBK BX
1781420000	SL 5.00/4/3/180 4.5SN SW	tbd	SL 5.00/4/3/180 3.2SN BK BX
1581550000	SL 5.00/02/180 4.5SN OR BX	1581320000	SL 5.00/02/180 3.2SN OR BX
1581560000	SL 5.00/03/180 4.5SN OR BX	1581330000	SL 5.00/03/180 3.2SN OR BX
1581570000	SL 5.00/04/180 4.5SN OR BX	1581340000	SL 5.00/04/180 3.2SN OR BX
1581580000	SL 5.00/05/180 4.5SN OR BX	1581350000	SL 5.00/05/180 3.2SN OR BX
1581590000	SL 5.00/06/180 4.5SN OR BX	1581360000	SL 5.00/06/180 3.2SN OR BX
1581600000	SL 5.00/07/180 4.5SN OR BX	1581370000	SL 5.00/07/180 3.2SN OR BX
1581610000	SL 5.00/08/180 4.5SN OR BX	1581380000	SL 5.00/08/180 3.2SN OR BX
1581630000	SL 5.00/10/180 4.5SN OR BX	1581400000	SL 5.00/10/180 3.2SN OR BX
1581650000	SL 5.00/12/180 4.5SN OR BX	1581420000	SL 5.00/12/180 3.2SN OR BX
1581670000	SL 5.00/14/180 4.5SN OR BX	1581440000	SL 5.00/14/180 3.2SN OR BX
1581680000	SL 5.00/15/180 4.5SN OR BX	1581450000	SL 5.00/15/180 3.2SN OR BX
1581710000	SL 5.00/18/180 4.5SN OR BX	1581480000	SL 5.00/18/180 3.2SN OR BX
1596130000	SL 5.00/04/180B 4.5SN BK BX	1211260000	SL 5.00/04/180B 3.2SN BK BX
1596140000	SL 5.00/08/180B 4.5SN BK BX	1211290000	SL 5.00/08/180B 3.2SN BK BX
1603310000	SL 5.00/12/180B 4.5SN BK BX	1211310000	SL 5.00/12/180B 3.2SN BK BX
1626620000	SL 5.00/02/180B 4.5SN BK BX	1211250000	SL 5.00/02/180B 3.2SN BK BX
1626630000	SL 5.00/03/180B 4.5SN BK BX	1074250000	SL 5.00/03/180B 3.2SN BK BX
1626640000	SL 5.00/05/180B 4.5SN BK BX	1211270000	SL 5.00/05/180B 3.2SN BK BX
1626650000	SL 5.00/06/180B 4.5SN BK BX	1211280000	SL 5.00/06/180B 3.2SN BK BX
1626660000	SL 5.00/07/180B 4.5SN BK BX	1210040000	SL 5.00/07/180B 3.2SN BK BX
1626670000	SL 5.00/09/180B 4.5SN BK BX	tbd	SL 5.00/09/180B 3.2SN BK BX
1626680000	SL 5.00/10/180B 4.5SN BK BX	tbd	SL 5.00/10/180B 3.2SN BK BX
1626690000	SL 5.00/11/180B 4.5SN BK BX	tbd	SL 5.00/11/180B 3.2SN BK BX
1626700000	SL 5.00/13/180B 4.5SN BK BX	1211510000	SL 5.00/13/180B 3.2SN BK BX
1626710000	SL 5.00/14/180B 4.5SN BK BX	tbd	SL 5.00/14/180B 3.2SN BK BX
1626720000	SL 5.00/15/180B 4.5SN BK BX	tbd	SL 5.00/15/180B 3.2SN BK BX
1626730000	SL 5.00/16/180B 4.5SN BK BX	1103490000	SL 5.00/16/180B 3.2 SN BK BX
1626740000	SL 5.00/17/180B 4.5SN BK BX	tbd	SL 5.00/17/180B 3.2SN BK BX
1626750000	SL 5.00/18/180B 4.5SN BK BX	tbd	SL 5.00/18/180B 3.2SN BK BX
1626760000	SL 5.00/19/180B 4.5SN BK BX	tbd	SL 5.00/19/180B 3.2SN BK BX
1626770000	SL 5.00/20/180B 4.5SN BK BX	tbd	SL 5.00/20/180B 3.2SN BK BX
1626780000	SL 5.00/21/180B 4.5SN BK BX	tbd	SL 5.00/21/180B 3.2SN BK BX
1626790000	SL 5.00/22/180B 4.5SN BK BX	tbd	SL 5.00/22/180B 3.2SN BK BX
1626800000	SL 5.00/23/180B 4.5SN BK BX	1211320000	SL 5.00/23/180B 3.2SN BK BX
1626810000	SL 5.00/24/180B 4.5SN BK BX	tbd	SL 5.00/24/180B 3.2SN BK BX
1724280000	SL 5.00/3/2/180B4.5SNSW	tbd	SL 5.00/3/2/180B 3.2SNBK BX
1724290000	SL5.00/15/8/180B4.5SNSW	tbd	SL5.00/15/8/180B 3.2SNBK BX

1582010000	SL 5.00/02/180B 4.5SN OR BX	1581780000	SL 5.00/02/180B 3.2SN OR BX
1582020000	SL 5.00/03/180B 4.5SN OR BX	1581790000	SL 5.00/03/180B 3.2SN OR BX
1582030000	SL 5.00/04/180B 4.5SN OR BX	1581800000	SL 5.00/04/180B 3.2SN OR BX
1582040000	SL 5.00/05/180B 4.5SN OR BX	1581810000	SL 5.00/05/180B 3.2SN OR BX
1582050000	SL 5.00/06/180B 4.5SN OR BX	1581820000	SL 5.00/06/180B 3.2SN OR BX
1582060000	SL 5.00/07/180B 4.5SN OR BX	1581830000	SL 5.00/07/180B 3.2SN OR BX
1582070000	SL 5.00/08/180B 4.5SN OR BX	1581840000	SL 5.00/08/180B 3.2SN OR BX
1582080000	SL 5.00/09/180B 4.5SN OR BX	1581850000	SL 5.00/09/180B 3.2SN OR BX
1582090000	SL 5.00/10/180B 4.5SN OR BX	1581860000	SL 5.00/10/180B 3.2SN OR BX
1582110000	SL 5.00/12/180B 4.5SN OR BX	1581880000	SL 5.00/12/180B 3.2SN OR BX
1582130000	SL 5.00/14/180B 4.5SN OR BX	1581900000	SL 5.00/14/180B 3.2SN OR BX
1582150000	SL 5.00/16/180B 4.5SN OR BX	1581920000	SL 5.00/16/180B 3.2SN OR BX
1582230000	SL 5.00/24/180B 4.5SN OR BX	1582000000	SL 5.00/24/180B 3.2SN OR BX
1596180000	SL 5.00/06/90 4.5SN BK BX	tbd	SL 5.00/06/90 3.2SN BK BX
1625990000	SL 5.00/02/90 4.5SN BK BX	tbd	SL 5.00/02/90 3.2SN BK BX
1626000000	SL 5.00/03/90 4.5SN BK BX	1924410000	SL 5.00/03/90 3.2SN BK BX
1626010000	SL 5.00/04/90 4.5SN BK BX	tbd	SL 5.00/04/90 3.2SN BK BX
1626020000	SL 5.00/05/90 4.5SN BK BX	tbd	SL 5.00/05/90 3.2SN BK BX
1626030000	SL 5.00/07/90 4.5SN BK BX	tbd	SL 5.00/07/90 3.2SN BK BX
1626040000	SL 5.00/08/90 4.5SN BK BX	tbd	SL 5.00/08/90 3.2SN BK BX
1626050000	SL 5.00/09/90 4.5SN BK BX	1723080000	SL 5.00/09/90 3.2SN BK BX
1626060000	SL 5.00/10/90 4.5SN BK BX	tbd	SL 5.00/10/90 3.2SN BK BX
1626070000	SL 5.00/11/90 4.5SN BK BX	tbd	SL 5.00/11/90 3.2SN BK BX
1626080000	SL 5.00/12/90 4.5SN BK BX	1862290000	SL 5.00/12/90 3.2SN BK BX
1626090000	SL 5.00/13/90 4.5SN BK BX	tbd	SL 5.00/13/90 3.2SN BK BX
1626100000	SL 5.00/14/90 4.5SN BK BX	1723100000	SL 5.00/14/90 3.2SN BK BX
1626110000	SL 5.00/15/90 4.5SN BK BX	tbd	SL 5.00/15/90 3.2SN BK BX
1626120000	SL 5.00/16/90 4.5SN BK BX	tbd	SL 5.00/16/90 3.2SN BK BX
1626130000	SL 5.00/17/90 4.5SN BK BX	tbd	SL 5.00/17/90 3.2SN BK BX
1626140000	SL 5.00/18/90 4.5SN BK BX	tbd	SL 5.00/18/90 3.2SN BK BX
1626150000	SL 5.00/19/90 4.5SN BK BX	tbd	SL 5.00/19/90 3.2SN BK BX
1626160000	SL 5.00/20/90 4.5SN BK BX	tbd	SL 5.00/20/90 3.2SN BK BX
1626170000	SL 5.00/21/90 4.5SN BK BX	tbd	SL 5.00/21/90 3.2SN BK BX
1626180000	SL 5.00/22/90 4.5SN BK BX	tbd	SL 5.00/22/90 3.2SN BK BX
1626190000	SL 5.00/23/90 4.5SN BK BX	tbd	SL 5.00/23/90 3.2SN BK BX
1626200000	SL 5.00/24/90 4.5SN BK BX	1611460000	SL 5.00/24/90 3.2SN BK BX
1580630000	SL 5.00/02/90 4.5SN OR BX	1571130000	SL 5.00/02/90 3.2SN OR BX
1580640000	SL 5.00/03/90 4.5SN OR BX	1571140000	SL 5.00/03/90 3.2SN OR BX
1580650000	SL 5.00/04/90 4.5SN OR BX	1571150000	SL 5.00/04/90 3.2SN OR BX
1580660000	SL 5.00/05/90 4.5SN OR BX	1571160000	SL 5.00/05/90 3.2SN OR BX
1580670000	SL 5.00/06/90 4.5SN OR BX	1571170000	SL 5.00/06/90 3.2SN OR BX
1580680000	SL 5.00/07/90 4.5SN OR BX	1571180000	SL 5.00/07/90 3.2SN OR BX
1580690000	SL 5.00/08/90 4.5SN OR BX	1571190000	SL 5.00/08/90 3.2SN OR BX
1580700000	SL 5.00/09/90 4.5SN OR BX	1571200000	SL 5.00/09/90 3.2SN OR BX
1580710000	SL 5.00/10/90 4.5SN OR BX	1571210000	SL 5.00/10/90 3.2SN OR BX
1580730000	SL 5.00/12/90 4.5SN OR BX	1571110000	SL 5.00/12/90 3.2SN OR BX
1580750000	SL 5.00/14/90 4.5SN OR BX	1571240000	SL 5.00/14/90 3.2SN OR BX
1580760000	SL 5.00/15/90 4.5SN OR BX	1571250000	SL 5.00/15/90 3.2SN OR BX
1580790000	SL 5.00/18/90 4.5SN OR BX	1571280000	SL 5.00/18/90 3.2SN OR BX
1580820000	SL 5.00/21/90 4.5SN OR BX	1571310000	SL 5.00/21/90 3.2SN OR BX
1596150000	SL 5.00/04/90B 4.5SN BK BX	1952200000	SL 5.00/04/90B 3.2SN BK BX
1596160000	SL 5.00/07/90B 4.5SN BK BX	tbd	SL 5.00/07/90B 3.2SN BK BX
1596170000	SL 5.00/10/90B 4.5SN BK BX	1631300000	SL 5.00/10/90B 3.2SN BK BX
1603320000	SL 5.00/12/90B 4.5SN BK BX	1774020000	SL 5.00/12/90B 3.2SN BK BX
1603330000	SL 5.00/16/90B 4.5SN BK BX	1684580000	SL 5.00/16/90B 3.2SN BK BX

1626210000	SL 5.00/02/90B 4.5SN BK BX	1952190000	SL 5.00/02/90B 3.2SN BK BX
1626220000	SL 5.00/03/90B 4.5SN BK BX	tbd	SL 5.00/03/90B 3.2SN BK BX
1626230000	SL 5.00/05/90B 4.5SN BK BX	tbd	SL 5.00/05/90B 3.2SN BK BX
1626240000	SL 5.00/06/90B 4.5SN BK BX	tbd	SL 5.00/06/90B 3.2SN BK BX
1626250000	SL 5.00/08/90B 4.5SN BK BX	tbd	SL 5.00/08/90B 3.2SN BK BX
1626260000	SL 5.00/09/90B 4.5SN BK BX	tbd	SL 5.00/09/90B 3.2SN BK BX
1626270000	SL 5.00/11/90B 4.5SN BK BX	tbd	SL 5.00/11/90B 3.2SN BK BX
1626280000	SL 5.00/13/90B 4.5SN BK BX	tbd	SL 5.00/13/90B 3.2SN BK BX
1626290000	SL 5.00/14/90B 4.5SN BK BX	tbd	SL 5.00/14/90B 3.2SN BK BX
1626300000	SL 5.00/15/90B 4.5SN BK BX	tbd	SL 5.00/15/90B 3.2SN BK BX
1626310000	SL 5.00/17/90B 4.5SN BK BX	1684590000	SL 5.00/17/90B 3.2SN BK BX
1626320000	SL 5.00/18/90B 4.5SN BK BX	tbd	SL 5.00/18/90B 3.2SN BK BX
1626330000	SL 5.00/19/90B 4.5SN BK BX	tbd	SL 5.00/19/90B 3.2SN BK BX
1626340000	SL 5.00/20/90B 4.5SN BK BX	tbd	SL 5.00/20/90B 3.2SN BK BX
1626350000	SL 5.00/21/90B 4.5SN BK BX	tbd	SL 5.00/21/90B 3.2SN BK BX
1626360000	SL 5.00/22/90B 4.5SN BK BX	tbd	SL 5.00/22/90B 3.2SN BK BX
1626370000	SL 5.00/23/90B 4.5SN BK BX	tbd	SL 5.00/23/90B 3.2SN BK BX
1626380000	SL 5.00/24/90B 4.5SN BK BX	tbd	SL 5.00/24/90B 3.2SN BK BX
1581090000	SL 5.00/02/90B 4.5SN OR BX	1580860000	SL 5.00/02/90B 3.2SN OR BX
1581100000	SL 5.00/03/90B 4.5SN OR BX	1580870000	SL 5.00/03/90B 3.2SN OR BX
1581110000	SL 5.00/04/90B 4.5SN OR BX	1580880000	SL 5.00/04/90B 3.2SN OR BX
1581130000	SL 5.00/06/90B 4.5SN OR BX	1580900000	SL 5.00/06/90B 3.2SN OR BX
1581170000	SL 5.00/10/90B 4.5SN OR BX	1580940000	SL 5.00/10/90B 3.2SN OR BX
1581180000	SL 5.00/11/90B 4.5SN OR BX	1580950000	SL 5.00/11/90B 3.2SN OR BX
1581190000	SL 5.00/12/90B 4.5SN OR BX	1580960000	SL 5.00/12/90B 3.2SN OR BX
1581200000	SL 5.00/13/90B 4.5SN OR BX	1580970000	SL 5.00/13/90B 3.2SN OR BX
1581210000	SL 5.00/14/90B 4.5SN OR BX	1580980000	SL 5.00/14/90B 3.2SN OR BX
1581220000	SL 5.00/15/90B 4.5SN OR BX	1580990000	SL 5.00/15/90B 3.2SN OR BX
1581230000	SL 5.00/16/90B 4.5SN OR BX	1581000000	SL 5.00/16/90B 3.2SN OR BX
1581240000	SL 5.00/17/90B 4.5SN OR BX	1581010000	SL 5.00/17/90B 3.2SN OR BX
1581310000	SL 5.00/24/90B 4.5SN OR BX	1581080000	SL 5.00/24/90B 3.2SN OR BX
1653470010	SLD 5.00R20/4/4.5SN SW	tbd	SLD 5.00R20/4/3.2SN BK BX
1653480010	SLD 5.00R20/6/4.5SN SW	tbd	SLD 5.00R20/6/3.2SN BK BX
1653490010	SLD 5.00R20/8/4.5SN SW	tbd	SLD 5.00R20/8/3.2SN BK BX
1653500010	SLD 5.00R20/10/4.5SN SW	tbd	SLD 5.00R20/10/3.2SN BK BX
1653510010	SLD 5.00R20/12/4.5SN SW	tbd	SLD 5.00R20/12/3.2SN BK BX
1653520010	SLD 5.00R20/14/4.5SN SW	tbd	SLD 5.00R20/14/3.2SN BK BX
1653530010	SLD 5.00R20/16/4.5SN SW	tbd	SLD 5.00R20/16/3.2SN BK BX
1653540010	SLD 5.00R20/18/4.5SN SW	tbd	SLD 5.00R20/18/3.2SN BK BX
1653550010	SLD 5.00R20/20/4.5SN SW	tbd	SLD 5.00R20/20/3.2SN BK BX
1653560010	SLD 5.00R20/22/4.5SN SW	tbd	SLD 5.00R20/22/3.2SN BK BX
1653570010	SLD 5.00R20/24/4.5SN SW	tbd	SLD 5.00R20/24/3.2SN BK BX
1653580010	SLD 5.00R20/26/4.5SN SW	tbd	SLD 5.00R20/26/3.2SN BK BX
1653590010	SLD 5.00R20/28/4.5SN SW	tbd	SLD 5.00R20/28/3.2SN BK BX
1653600010	SLD 5.00R20/30/4.5SN SW	tbd	SLD 5.00R20/30/3.2SN BK BX
1653610010	SLD 5.00R20/32/4.5SN SW	tbd	SLD 5.00R20/32/3.2SN BK BX
1653620010	SLD 5.00R20/34/4.5SN SW	tbd	SLD 5.00R20/34/3.2SN BK BX
1653630010	SLD 5.00R20/36/4.5SN SW	tbd	SLD 5.00R20/36/3.2SN BK BX
1653640010	SLD 5.00R20/38/4.5SN SW	tbd	SLD 5.00R20/38/3.2SN BK BX
1653650010	SLD 5.00R20/40/4.5SN SW	tbd	SLD 5.00R20/40/3.2SN BK BX
1653660010	SLD 5.00R20/42/4.5SN SW	tbd	SLD 5.00R20/42/3.2SN BK BX
1653670010	SLD 5.00R20/44/4.5SN SW	tbd	SLD 5.00R20/44/3.2SN BK BX
1653680010	SLD 5.00R20/46/4.5SN SW	tbd	SLD 5.00R20/46/3.2SN BK BX
1653690010	SLD 5.00R20/48/4.5SN SW	tbd	SLD 5.00R20/48/3.2SN BK BX
1653700010	SLD 5.00R20/4/4.5SN SW	tbd	SLD 5.00R20/4/3.2SN BK BX

1653710010	SLD 5.00R20/6/4.5SN SW	tbd	SLD 5.00R20/6/3.2SN BK BX
1653720010	SLD 5.00R20/8/4.5SN SW	tbd	SLD 5.00R20/8/3.2SN BK BX
1653730010	SLD 5.00R20/10/4.5SN SW	tbd	SLD 5.00R20/10/3.2SN BK BX
1653740010	SLD 5.00R20/12/4.5SN SW	tbd	SLD 5.00R20/12/3.2SN BK BX
1653750010	SLD 5.00R20/14/4.5SN SW	tbd	SLD 5.00R20/14/3.2SN BK BX
1653760010	SLD 5.00R20/16/4.5SN SW	tbd	SLD 5.00R20/16/3.2SN BK BX
1653770010	SLD 5.00R20/18/4.5SN SW	tbd	SLD 5.00R20/18/3.2SN BK BX
1653780010	SLD 5.00R20/20/4.5SN SW	tbd	SLD 5.00R20/20/3.2SN BK BX
1653790010	SLD 5.00R20/22/4.5SN SW	tbd	SLD 5.00R20/22/3.2SN BK BX
1653800010	SLD 5.00R20/24/4.5SN SW	tbd	SLD 5.00R20/24/3.2SN BK BX
1653810010	SLD 5.00R20/26/4.5SN SW	tbd	SLD 5.00R20/26/3.2SN BK BX
1653820010	SLD 5.00R20/28/4.5SN SW	tbd	SLD 5.00R20/28/3.2SN BK BX
1653830010	SLD 5.00R20/30/4.5SN SW	tbd	SLD 5.00R20/30/3.2SN BK BX
1653840010	SLD 5.00R20/32/4.5SN SW	tbd	SLD 5.00R20/32/3.2SN BK BX
1653850010	SLD 5.00R20/34/4.5SN SW	tbd	SLD 5.00R20/34/3.2SN BK BX
1653860010	SLD 5.00R20/36/4.5SN SW	tbd	SLD 5.00R20/36/3.2SN BK BX
1653870010	SLD 5.00R20/38/4.5SN SW	tbd	SLD 5.00R20/38/3.2SN BK BX
1653880010	SLD 5.00R20/40/4.5SN SW	tbd	SLD 5.00R20/40/3.2SN BK BX
1653890010	SLD 5.00R20/42/4.5SN SW	tbd	SLD 5.00R20/42/3.2SN BK BX
1653900010	SLD 5.00R20/44/4.5SN SW	tbd	SLD 5.00R20/44/3.2SN BK BX
1653910010	SLD 5.00R20/46/4.5SN SW	tbd	SLD 5.00R20/46/3.2SN BK BX
1653920010	SLD 5.00R20/48/4.5SN SW	tbd	SLD 5.00R20/48/3.2SN BK BX
1653470000	SLD 5.00/04/180G 4.5SN BK BX	tbd	SLD 5.00/04/180G 3.2SN BK BX
1653480000	SLD 5.00/06/180G 4.5SN BK BX	tbd	SLD 5.00/06/180G 3.2SN BK BX
1653490000	SLD 5.00/08/180G 4.5SN BK BX	tbd	SLD 5.00/08/180G 3.2SN BK BX
1653500000	SLD 5.00/10/180G 4.5SN BK BX	tbd	SLD 5.00/10/180G 3.2SN BK BX
1653510000	SLD 5.00/12/180G 4.5SN BK BX	tbd	SLD 5.00/12/180G 3.2SN BK BX
1653520000	SLD 5.00/14/180G 4.5SN BK BX	tbd	SLD 5.00/14/180G 3.2SN BK BX
1653530000	SLD 5.00/16/180G 4.5SN BK BX	tbd	SLD 5.00/16/180G 3.2SN BK BX
1653540000	SLD 5.00/18/180G 4.5SN BK BX	tbd	SLD 5.00/18/180G 3.2SN BK BX
1653550000	SLD 5.00/20/180G 4.5SN BK BX	tbd	SLD 5.00/20/180G 3.2SN BK BX
1653560000	SLD 5.00/22/180G 4.5SN BK BX	tbd	SLD 5.00/22/180G 3.2SN BK BX
1653570000	SLD 5.00/24/180G 4.5SN BK BX	tbd	SLD 5.00/24/180G 3.2SN BK BX
1653580000	SLD 5.00/26/180G 4.5SN BK BX	tbd	SLD 5.00/26/180G 3.2SN BK BX
1653590000	SLD 5.00/28/180G 4.5SN BK BX	tbd	SLD 5.00/28/180G 3.2SN BK BX
1653600000	SLD 5.00/30/180G 4.5SN BK BX	tbd	SLD 5.00/30/180G 3.2SN BK BX
1653610000	SLD 5.00/32/180G 4.5SN BK BX	tbd	SLD 5.00/32/180G 3.2SN BK BX
1653620000	SLD 5.00/34/180G 4.5SN BK BX	tbd	SLD 5.00/34/180G 3.2SN BK BX
1653630000	SLD 5.00/36/180G 4.5SN BK BX	tbd	SLD 5.00/36/180G 3.2SN BK BX
1653640000	SLD 5.00/38/180G 4.5SN BK BX	tbd	SLD 5.00/38/180G 3.2SN BK BX
1653650000	SLD 5.00/40/180G 4.5SN BK BX	tbd	SLD 5.00/40/180G 3.2SN BK BX
1653660000	SLD 5.00/42/180G 4.5SN BK BX	tbd	SLD 5.00/42/180G 3.2SN BK BX
1653670000	SLD 5.00/44/180G 4.5SN BK BX	tbd	SLD 5.00/44/180G 3.2SN BK BX
1653680000	SLD 5.00/46/180G 4.5SN BK BX	tbd	SLD 5.00/46/180G 3.2SN BK BX
1653690000	SLD 5.00/48/180G 4.5SN BK BX	tbd	SLD 5.00/48/180G 3.2SN BK BX
1615040000	SLD 5.00/04/180G 4.5SN OR BX	1614810000	SLD 5.00/04/180G 3.2SN OR BX
1615050000	SLD 5.00/06/180G 4.5SN OR BX	1614820000	SLD 5.00/06/180G 3.2SN OR BX
1615060000	SLD 5.00/08/180G 4.5SN OR BX	1614830000	SLD 5.00/08/180G 3.2SN OR BX
1615070000	SLD 5.00/10/180G 4.5SN OR BX	1614840000	SLD 5.00/10/180G 3.2SN OR BX
1615080000	SLD 5.00/12/180G 4.5SN OR BX	1614850000	SLD 5.00/12/180G 3.2SN OR BX
1615090000	SLD 5.00/14/180G 4.5SN OR BX	1614860000	SLD 5.00/14/180G 3.2SN OR BX
1615100000	SLD 5.00/16/180G 4.5SN OR BX	1614870000	SLD 5.00/16/180G 3.2SN OR BX
1615110000	SLD 5.00/18/180G 4.5SN OR BX	1614880000	SLD 5.00/18/180G 3.2SN OR BX
1615120000	SLD 5.00/20/180G 4.5SN OR BX	1614890000	SLD 5.00/20/180G 3.2SN OR BX
1615130000	SLD 5.00/22/180G 4.5SN OR BX	1614900000	SLD 5.00/22/180G 3.2SN OR BX

1779220000	SL-SMT5.08/7/180 4.5SN	1838030000	SL-SMT 5.08/07/180 3.2SN BK BX
1779230000	SL-SMT5.08/8/180 4.5SN	1838040000	SL-SMT 5.08/08/180 3.2SN BK BX
1779240000	SL-SMT5.08/9/180 4.5SN	1838050000	SL-SMT 5.08/09/180 3.2SN BK BX
1779250000	SL-SMT5.08/10/180 4.5SN	1838060000	SL-SMT 5.08/10/180 3.2SN BK BX
1779260000	SL-SMT5.08/11/180 4.5SN	1838070000	SL-SMT 5.08/11/180 3.2SN BK BX
1779270000	SL-SMT5.08/12/180 4.5SN	1838080000	SL-SMT 5.08/12/180 3.2SN BK BX
1779280000	SL-SMT5.08/13/180 4.5SN	1838090000	SL-SMT 5.08/13/180 3.2SN BK BX
1779290000	SL-SMT5.08/14/180 4.5SN	1838100000	SL-SMT 5.08/14/180 3.2SN BK BX
1779310000	SL-SMT5.08/15/180 4.5SN	1838110000	SL-SMT 5.08/15/180 3.2SN BK BX
1779320000	SL-SMT5.08/16/180 4.5SN	1838120000	SL-SMT 5.08/16/180 3.2SN BK BX
1779330000	SL-SMT5.08/17/180 4.5SN	1838130000	SL-SMT 5.08/17/180 3.2SN BK BX
1779340000	SL-SMT5.08/18/180 4.5SN	1838140000	SL-SMT 5.08/18/180 3.2SN BK BX
1779350000	SL-SMT5.08/19/180 4.5SN	1838150000	SL-SMT 5.08/19/180 3.2SN BK BX
1779360000	SL-SMT5.08/20/180 4.5SN	1838160000	SL-SMT 5.08/20/180 3.2SN BK BX
1779370000	SL-SMT5.08/21/180 4.5SN	1838170000	SL-SMT 5.08/21/180 3.2SN BK BX
1779380000	SL-SMT5.08/22/180 4.5SN	1838180000	SL-SMT 5.08/22/180 3.2SN BK BX
1779390000	SL-SMT5.08/23/180 4.5SN	1838190000	SL-SMT 5.08/23/180 3.2SN BK BX
1779400000	SL-SMT5.08/24/180 4.5SN	1838200000	SL-SMT 5.08/24/180 3.2SN BK BX
1779420000	SL-SMT5.08/03/180B 4.5SN	tbd	SL-SMT5.08/03/180B 3.2SN BK BX
1779430000	SL-SMT5.08/04/180B 4.5SN	tbd	SL-SMT5.08/04/180B 3.2SN BK BX
1779440000	SL-SMT5.08/05/180B 4.5SN	tbd	SL-SMT5.08/05/180B 3.2SN BK BX
1779450000	SL-SMT5.08/06/180B 4.5SN	tbd	SL-SMT5.08/06/180B 3.2SN BK BX
1779460000	SL-SMT5.08/07/180B 4.5SN	tbd	SL-SMT5.08/07/180B 3.2SN BK BX
1779470000	SL-SMT5.08/08/180B 4.5SN	tbd	SL-SMT5.08/08/180B 3.2SN BK BX
1779480000	SL-SMT5.08/09/180B 4.5SN	tbd	SL-SMT5.08/09/180B 3.2SN BK BX
1779490000	SL-SMT5.08/10/180B 4.5SN	tbd	SL-SMT5.08/10/180B 3.2SN BK BX
1779500000	SL-SMT5.08/11/180B 4.5SN	tbd	SL-SMT5.08/11/180B 3.2SN BK BX
1779510000	SL-SMT5.08/12/180B 4.5SN	tbd	SL-SMT5.08/12/180B 3.2SN BK BX
1779520000	SL-SMT5.08/13/180B 4.5SN	tbd	SL-SMT5.08/13/180B 3.2SN BK BX
1779530000	SL-SMT5.08/14/180B 4.5SN	tbd	SL-SMT5.08/14/180B 3.2SN BK BX
1779540000	SL-SMT5.08/15/180B 4.5SN	tbd	SL-SMT5.08/15/180B 3.2SN BK BX
1779550000	SL-SMT5.08/16/180B 4.5SN	tbd	SL-SMT5.08/16/180B 3.2SN BK BX
1779560000	SL-SMT5.08/17/180B 4.5SN	tbd	SL-SMT5.08/17/180B 3.2SN BK BX
1779570000	SL-SMT5.08/18/180B 4.5SN	tbd	SL-SMT5.08/18/180B 3.2SN BK BX
1779580000	SL-SMT5.08/19/180B 4.5SN	tbd	SL-SMT5.08/19/180B 3.2SN BK BX
1779590000	SL-SMT5.08/20/180B 4.5SN	tbd	SL-SMT5.08/20/180B 3.2SN BK BX
1779600000	SL-SMT5.08/21/180B 4.5SN	tbd	SL-SMT5.08/21/180B 3.2SN BK BX
1779610000	SL-SMT5.08/22/180B 4.5SN	tbd	SL-SMT5.08/22/180B 3.2SN BK BX
1779620000	SL-SMT5.08/23/180B 4.5SN	tbd	SL-SMT5.08/23/180B 3.2SN BK BX
1779410000	SL-SMT5.08/2/180G 4.5SN	1838210000	SL-SMT 5.08/02/180G 3.2SN BK BX
1779630000	SL-SMT5.08/24/180G 4.5SN	1838430000	SL-SMT 5.08/24/180G 3.2SN BK BX
1779860000	SL-SMT 5.08/24/180LF 4.5SN BK BX	1838660000	SL-SMT 5.08/24/180LF 3.2SN BK BX
1779720000	SL-SMT5.08/10/180LF 4.5SN	1838520000	SL-SMT 5.08/10/180LF 3.2SN BK BX
1779730000	SL-SMT5.08/11/180LF 4.5SN	1838530000	SL-SMT 5.08/11/180LF 3.2SN BK BX
1779740000	SL-SMT5.08/12/180LF 4.5SN	1838540000	SL-SMT 5.08/12/180LF 3.2SN BK BX
1779750000	SL-SMT5.08/13/180LF 4.5SN	1838550000	SL-SMT 5.08/13/180LF 3.2SN BK BX
1779760000	SL-SMT5.08/14/180LF 4.5SN	1838560000	SL-SMT 5.08/14/180LF 3.2SN BK BX
1779770000	SL-SMT5.08/15/180LF 4.5SN	1838570000	SL-SMT 5.08/15/180LF 3.2SN BK BX
1779780000	SL-SMT5.08/16/180LF 4.5SN	1838580000	SL-SMT 5.08/16/180LF 3.2SN BK BX
1779790000	SL-SMT5.08/17/180LF 4.5SN	1838590000	SL-SMT 5.08/17/180LF 3.2SN BK BX
1779800000	SL-SMT5.08/18/180LF 4.5SN	1838600000	SL-SMT 5.08/18/180LF 3.2SN BK BX
1779810000	SL-SMT5.08/19/180LF 4.5SN	1838610000	SL-SMT 5.08/19/180LF 3.2SN BK BX
1779640000	SL-SMT5.08/2/180LF 4.5SN	1838440000	SL-SMT 5.08/02/180LF 3.2SN BK BX
1779820000	SL-SMT5.08/20/180LF 4.5SN	1838620000	SL-SMT 5.08/20/180LF 3.2SN BK BX
1779830000	SL-SMT5.08/21/180LF 4.5SN	1838630000	SL-SMT 5.08/21/180LF 3.2SN BK BX

1779840000	SL-SMT5.08/22/180LF 4.5SN	1838640000	SL-SMT 5.08/22/180LF 3.2SN BK BX
1779850000	SL-SMT5.08/23/180LF 4.5SN	1838650000	SL-SMT 5.08/23/180LF 3.2SN BK BX
1779650000	SL-SMT5.08/3/180LF 4.5SN	1838450000	SL-SMT 5.08/03/180LF 3.2SN BK BX
1779660000	SL-SMT5.08/4/180LF 4.5SN	1838460000	SL-SMT 5.08/04/180LF 3.2SN BK BX
1779670000	SL-SMT5.08/5/180LF 4.5SN	1838470000	SL-SMT 5.08/05/180LF 3.2SN BK BX
1779680000	SL-SMT5.08/6/180LF 4.5SN	1838480000	SL-SMT 5.08/06/180LF 3.2SN BK BX
1779690000	SL-SMT5.08/7/180LF 4.5SN	1838490000	SL-SMT 5.08/07/180LF 3.2SN BK BX
1779700000	SL-SMT5.08/8/180LF 4.5SN	1838500000	SL-SMT 5.08/08/180LF 3.2SN BK BX
1779710000	SL-SMT5.08/9/180LF 4.5SN	1838510000	SL-SMT 5.08/09/180LF 3.2SN BK BX
1725910000	SLD 5.08V/10/180 4.5 SW	tbd	SLD 5.08V/10/180 3.2BK BX
1725920000	SLD 5.08V/12/180 4.5 SW	tbd	SLD 5.08V/12/180 3.2BK BX
1725930000	SLD 5.08V/14/180 4.5 SW	tbd	SLD 5.08V/14/180 3.2BK BX
1725940000	SLD 5.08V/16/180 4.5 SW	tbd	SLD 5.08V/16/180 3.2BK BX
1725950000	SLD 5.08V/18/180 4.5 SW	tbd	SLD 5.08V/18/180 3.2BK BX
1725960000	SLD 5.08V/20/180 4.5 SW	tbd	SLD 5.08V/20/180 3.2BK BX
1725970000	SLD 5.08V/22/180 4.5 SW	tbd	SLD 5.08V/22/180 3.2BK BX
1725980000	SLD 5.08V/24/180 4.5 SW	tbd	SLD 5.08V/24/180 3.2BK BX
1725990000	SLD 5.08V/26/180 4.5 SW	tbd	SLD 5.08V/26/180 3.2BK BX
1726000000	SLD 5.08V/28/180 4.5 SW	tbd	SLD 5.08V/28/180 3.2BK BX
1726010000	SLD 5.08V/30/180 4.5 SW	tbd	SLD 5.08V/30/180 3.2BK BX
1726020000	SLD 5.08V/32/180 4.5 SW	tbd	SLD 5.08V/32/180 3.2BK BX
1726030000	SLD 5.08V/34/180 4.5 SW	tbd	SLD 5.08V/34/180 3.2BK BX
1726040000	SLD 5.08V/36/180 4.5 SW	tbd	SLD 5.08V/36/180 3.2BK BX
1726050000	SLD 5.08V/38/180 4.5 SW	tbd	SLD 5.08V/38/180 3.2BK BX
1725880000	SLD 5.08V/4/180 4.5 SW	tbd	SLD 5.08V/4/180 3.2BK BX
1726060000	SLD 5.08V/40/180 4.5 SW	tbd	SLD 5.08V/40/180 3.2BK BX
1726070000	SLD 5.08V/42/180 4.5 SW	tbd	SLD 5.08V/42/180 3.2BK BX
1726080000	SLD 5.08V/44/180 4.5 SW	tbd	SLD 5.08V/44/180 3.2BK BX
1726090000	SLD 5.08V/46/180 4.5 SW	tbd	SLD 5.08V/46/180 3.2BK BX
1726100000	SLD 5.08V/48/180 4.5 SW	tbd	SLD 5.08V/48/180 3.2BK BX
1725890000	SLD 5.08V/6/180 4.5 SW	tbd	SLD 5.08V/6/180 3.2BK BX
1725900000	SLD 5.08V/8/180 4.5 SW	tbd	SLD 5.08V/8/180 3.2BK BX
1524060000	SL 5.08/24/180 4.5 SN OR BX	1519460000	SL 5.08/24/180 3.2 SN OR BX
1744930000	SLD 5.08V/10/180 4.5 OR	1725680000	SLD 5.08V/10/180 3.2 OR
1744940000	SLD 5.08V/12/180 4.5 OR	1725690000	SLD 5.08V/12/180 3.2 OR
1744950000	SLD 5.08V/14/180 4.5 OR	1725700000	SLD 5.08V/14/180 3.2 OR
1744960000	SLD 5.08V/16/180 4.5 OR	1725710000	SLD 5.08V/16/180 3.2 OR
1744970000	SLD 5.08V/18/180 4.5 OR	1725720000	SLD 5.08V/18/180 3.2 OR
1744980000	SLD 5.08V/20/180 4.5 OR	1725730000	SLD 5.08V/20/180 3.2 OR
1744990000	SLD 5.08V/22/180 4.5 OR	1725740000	SLD 5.08V/22/180 3.2 OR
1745000000	SLD 5.08V/24/180 4.5 OR	1725750000	SLD 5.08V/24/180 3.2 OR
1745010000	SLD 5.08V/26/180 4.5 OR	1725760000	SLD 5.08V/26/180 3.2 OR
1745020000	SLD 5.08V/28/180 4.5 OR	1725770000	SLD 5.08V/28/180 3.2 OR
1745030000	SLD 5.08V/30/180 4.5 OR	1725780000	SLD 5.08V/30/180 3.2 OR
1745040000	SLD 5.08V/32/180 4.5 OR	1725790000	SLD 5.08V/32/180 3.2 OR
1745050000	SLD 5.08V/34/180 4.5 OR	1725800000	SLD 5.08V/34/180 3.2 OR
1745060000	SLD 5.08V/36/180 4.5 OR	1725810000	SLD 5.08V/36/180 3.2 OR
1745070000	SLD 5.08V/38/180 4.5 OR	1725820000	SLD 5.08V/38/180 3.2 OR
1744900000	SLD 5.08V/4/180 4.5 OR	1725830000	SLD 5.08V/40/180 3.2 OR
1745080000	SLD 5.08V/40/180 4.5 OR	1725840000	SLD 5.08V/42/180 3.2 OR
1745090000	SLD 5.08V/42/180 4.5 OR	1725850000	SLD 5.08V/44/180 3.2 OR
1745100000	SLD 5.08V/44/180 4.5 OR	1725860000	SLD 5.08V/46/180 3.2 OR
1745110000	SLD 5.08V/46/180 4.5 OR	1725870000	SLD 5.08V/48/180 3.2 OR
1745120000	SLD 5.08V/48/180 4.5 OR	1725880000	SLD 5.08V/4/180 4.5 SW
1744910000	SLD 5.08V/6/180 4.5 OR	1725890000	SLD 5.08V/6/180 4.5 SW

1744920000	SLD 5.08V/8/180 4.5 OR	1725900000	SLD 5.08V/8/180 4.5 SW
1727000000	SLD 5.08V/10/180B4.5 SW	tbd	SLD 5.08V/10/180B 3.2BK BX
1727010000	SLD 5.08V/12/180B4.5 SW	tbd	SLD 5.08V/12/180B 3.2BK BX
1727020000	SLD 5.08V/14/180B4.5 SW	tbd	SLD 5.08V/14/180B 3.2BK BX
1727030000	SLD 5.08V/16/180B4.5 SW	tbd	SLD 5.08V/16/180B 3.2BK BX
1727040000	SLD 5.08V/18/180B4.5 SW	tbd	SLD 5.08V/18/180B 3.2BK BX
1727050000	SLD 5.08V/20/180B4.5 SW	tbd	SLD 5.08V/20/180B 3.2BK BX
1727060000	SLD 5.08V/22/180B4.5 SW	tbd	SLD 5.08V/22/180B 3.2BK BX
1727070000	SLD 5.08V/24/180B4.5 SW	tbd	SLD 5.08V/24/180B 3.2BK BX
1727080000	SLD 5.08V/26/180B4.5 SW	tbd	SLD 5.08V/26/180B 3.2BK BX
1727090000	SLD 5.08V/28/180B4.5 SW	tbd	SLD 5.08V/28/180B 3.2BK BX
1727100000	SLD 5.08V/30/180B4.5 SW	tbd	SLD 5.08V/30/180B 3.2BK BX
1727110000	SLD 5.08V/32/180B4.5 SW	tbd	SLD 5.08V/32/180B 3.2BK BX
1727120000	SLD 5.08V/34/180B4.5 SW	tbd	SLD 5.08V/34/180B 3.2BK BX
1727130000	SLD 5.08V/36/180B4.5 SW	tbd	SLD 5.08V/36/180B 3.2BK BX
1727140000	SLD 5.08V/38/180B4.5 SW	tbd	SLD 5.08V/38/180B 3.2BK BX
1726970000	SLD 5.08V/4/180B4.5 SW	tbd	SLD 5.08V/4/180B 3.2BK BX
1727150000	SLD 5.08V/40/180B4.5 SW	tbd	SLD 5.08V/40/180B 3.2BK BX
1727160000	SLD 5.08V/42/180B4.5 SW	tbd	SLD 5.08V/42/180B 3.2BK BX
1727170000	SLD 5.08V/44/180B4.5 SW	tbd	SLD 5.08V/44/180B 3.2BK BX
1727180000	SLD 5.08V/46/180B4.5 SW	tbd	SLD 5.08V/46/180B 3.2BK BX
1727190000	SLD 5.08V/48/180B4.5 SW	tbd	SLD 5.08V/48/180B 3.2BK BX
1726980000	SLD 5.08V/6/180B4.5 SW	tbd	SLD 5.08V/6/180B 3.2BK BX
1726990000	SLD 5.08V/8/180B4.5 SW	tbd	SLD 5.08V/8/180B 3.2BK BX
1744700000	SLD 5.08V/10/180B4.5 OR	1726770000	SLD 5.08V/10/180B3.2 OR
1744710000	SLD 5.08V/12/180B4.5 OR	1726780000	SLD 5.08V/12/180B3.2 OR
1744720000	SLD 5.08V/14/180B4.5 OR	1726790000	SLD 5.08V/14/180B3.2 OR
1744730000	SLD 5.08V/16/180B4.5 OR	1726800000	SLD 5.08V/16/180B3.2 OR
1744740000	SLD 5.08V/18/180B4.5 OR	1726810000	SLD 5.08V/18/180B3.2 OR
1744750000	SLD 5.08V/20/180B4.5 OR	1726820000	SLD 5.08V/20/180B3.2 OR
1744760000	SLD 5.08V/22/180B4.5 OR	1726830000	SLD 5.08V/22/180B3.2 OR
1744770000	SLD 5.08V/24/180B4.5 OR	1726840000	SLD 5.08V/24/180B3.2 OR
1744780000	SLD 5.08V/26/180B4.5 OR	1726850000	SLD 5.08V/26/180B3.2 OR
1744790000	SLD 5.08V/28/180B4.5 OR	1726860000	SLD 5.08V/28/180B3.2 OR
1744800000	SLD 5.08V/30/180B4.5 OR	1726870000	SLD 5.08V/30/180B3.2 OR
1744810000	SLD 5.08V/32/180B4.5 OR	1726880000	SLD 5.08V/32/180B3.2 OR
1744820000	SLD 5.08V/34/180B4.5 OR	1726890000	SLD 5.08V/34/180B3.2 OR
1744830000	SLD 5.08V/36/180B4.5 OR	1726900000	SLD 5.08V/36/180B3.2 OR
1744840000	SLD 5.08V/38/180B4.5 OR	1726910000	SLD 5.08V/38/180B3.2 OR
1744670000	SLD 5.08V/4/180B4.5 OR	1726740000	SLD 5.08V/4/180B3.2 OR
1744850000	SLD 5.08V/40/180B4.5 OR	1726920000	SLD 5.08V/40/180B3.2 OR
1744860000	SLD 5.08V/42/180B4.5 OR	1726930000	SLD 5.08V/42/180B3.2 OR
1744870000	SLD 5.08V/44/180B4.5 OR	1726940000	SLD 5.08V/44/180B3.2 OR
1744880000	SLD 5.08V/46/180B4.5 OR	1726950000	SLD 5.08V/46/180B3.2 OR
1744890000	SLD 5.08V/48/180B4.5 OR	1726960000	SLD 5.08V/48/180B3.2 OR
1744680000	SLD 5.08V/6/180B4.5 OR	1726750000	SLD 5.08V/6/180B3.2 OR
1744690000	SLD 5.08V/8/180B4.5 OR	1726760000	SLD 5.08V/8/180B3.2 OR
1711680000	SLD 5.08/04/180G 4.5SN BK BX	tbd	SLD 5.08/04/180G 3.2SN BK BX
1711690000	SLD 5.08/06/180G 4.5SN BK BX	tbd	SLD 5.08/06/180G 3.2SN BK BX
1711700000	SLD 5.08/08/180G 4.5SN BK BX	tbd	SLD 5.08/08/180G 3.2SN BK BX
1711710000	SLD 5.08/10/180G 4.5SN BK BX	tbd	SLD 5.08/10/180G 3.2SN BK BX
1711720000	SLD 5.08/12/180G 4.5SN BK BX	tbd	SLD 5.08/12/180G 3.2SN BK BX
1711730000	SLD 5.08/14/180G 4.5SN BK BX	tbd	SLD 5.08/14/180G 3.2SN BK BX
1676730000	SLD 5.08/16/180G 4.5SN BK BX	tbd	SLD 5.08/16/180G 3.2SN BK BX
1711750000	SLD 5.08/18/180G 4.5SN BK BX	tbd	SLD 5.08/18/180G 3.2SN BK BX

1711760000	SLD 5.08/20/180G 4.5SN BK BX	tbd	SLD 5.08/20/180G 3.2SN BK BX
1711770000	SLD 5.08/22/180G 4.5SN BK BX	tbd	SLD 5.08/22/180G 3.2SN BK BX
1711780000	SLD 5.08/24/180G 4.5SN BK BX	tbd	SLD 5.08/24/180G 3.2SN BK BX
1711790000	SLD 5.08/26/180G 4.5SN BK BX	tbd	SLD 5.08/26/180G 3.2SN BK BX
1711800000	SLD 5.08/28/180G 4.5SN BK BX	tbd	SLD 5.08/28/180G 3.2SN BK BX
1711810000	SLD 5.08/30/180G 4.5SN BK BX	tbd	SLD 5.08/30/180G 3.2SN BK BX
1711820000	SLD 5.08/32/180G 4.5SN BK BX	tbd	SLD 5.08/32/180G 3.2SN BK BX
1711830000	SLD 5.08/34/180G 4.5SN BK BX	tbd	SLD 5.08/34/180G 3.2SN BK BX
1711840000	SLD 5.08/36/180G 4.5SN BK BX	tbd	SLD 5.08/36/180G 3.2SN BK BX
1711850000	SLD 5.08/38/180G 4.5SN BK BX	tbd	SLD 5.08/38/180G 3.2SN BK BX
1711860000	SLD 5.08/40/180G 4.5SN BK BX	tbd	SLD 5.08/40/180G 3.2SN BK BX
1711870000	SLD 5.08/42/180G 4.5SN BK BX	tbd	SLD 5.08/42/180G 3.2SN BK BX
1711880000	SLD 5.08/44/180G 4.5SN BK BX	tbd	SLD 5.08/44/180G 3.2SN BK BX
1711890000	SLD 5.08/46/180G 4.5SN BK BX	tbd	SLD 5.08/46/180G 3.2SN BK BX
1711900000	SLD 5.08/48/180G 4.5SN BK BX	tbd	SLD 5.08/48/180G 3.2SN BK BX
1602620000	SLD 5.08/04/180G 4.5SN OR BX	1602390000	SLD 5.08/04/180G 3.2SN OR BX
1602630000	SLD 5.08/06/180G 4.5SN OR BX	1602400000	SLD 5.08/06/180G 3.2SN OR BX
1602640000	SLD 5.08/08/180G 4.5SN OR BX	1602410000	SLD 5.08/08/180G 3.2SN OR BX
1602650000	SLD 5.08/10/180G 4.5SN OR BX	1602420000	SLD 5.08/10/180G 3.2SN OR BX
1602660000	SLD 5.08/12/180G 4.5SN OR BX	1602430000	SLD 5.08/12/180G 3.2SN OR BX
1602670000	SLD 5.08/14/180G 4.5SN OR BX	1602440000	SLD 5.08/14/180G 3.2SN OR BX
1602680000	SLD 5.08/16/180G 4.5SN OR BX	1602450000	SLD 5.08/16/180G 3.2SN OR BX
1602690000	SLD 5.08/18/180G 4.5SN OR BX	1602460000	SLD 5.08/18/180G 3.2SN OR BX
1602700000	SLD 5.08/20/180G 4.5SN OR BX	1602470000	SLD 5.08/20/180G 3.2SN OR BX
1602710000	SLD 5.08/22/180G 4.5SN OR BX	1602480000	SLD 5.08/22/180G 3.2SN OR BX
1602720000	SLD 5.08/24/180G 4.5SN OR BX	1602490000	SLD 5.08/24/180G 3.2SN OR BX
1602730000	SLD 5.08/26/180G 4.5SN OR BX	1602500000	SLD 5.08/26/180G 3.2SN OR BX
1602740000	SLD 5.08/28/180G 4.5SN OR BX	1602510000	SLD 5.08/28/180G 3.2SN OR BX
1602750000	SLD 5.08/30/180G 4.5SN OR BX	1602520000	SLD 5.08/30/180G 3.2SN OR BX
1602760000	SLD 5.08/32/180G 4.5SN OR BX	1602530000	SLD 5.08/32/180G 3.2SN OR BX
1602770000	SLD 5.08/34/180G 4.5SN OR BX	1602540000	SLD 5.08/34/180G 3.2SN OR BX
1602780000	SLD 5.08/36/180G 4.5SN OR BX	1602550000	SLD 5.08/36/180G 3.2SN OR BX
1602790000	SLD 5.08/38/180G 4.5SN OR BX	1602560000	SLD 5.08/38/180G 3.2SN OR BX
1602800000	SLD 5.08/40/180G 4.5SN OR BX	1602570000	SLD 5.08/40/180G 3.2SN OR BX
1602810000	SLD 5.08/42/180G 4.5SN OR BX	1602580000	SLD 5.08/42/180G 3.2SN OR BX
1602820000	SLD 5.08/44/180G 4.5SN OR BX	1602590000	SLD 5.08/44/180G 3.2SN OR BX
1602830000	SLD 5.08/46/180G 4.5SN OR BX	1602600000	SLD 5.08/46/180G 3.2SN OR BX
1602840000	SLD 5.08/48/180G 4.5SN OR BX	1602610000	SLD 5.08/48/180G 3.2SN OR BX
1934150000	SLDV-THR5.08/32FLF4.5SN SW	1866320000	SLDV-THR 5.08/32/180FLF 3.2SN BK BX
1725430000	SLD 5.08V/06/90 4.5 SN SW BX	tbd	SLD 5.08V/06/90 3.2 SN BK BX
1725450000	SLD 5.08V/10/90 4.5 SN SW BX	tbd	SLD 5.08V/10/90 3.2 SN BK BX
1725460000	SLD 5.08V/12/90 4.5 SW	tbd	SLD 5.08V/12/90 3.2 BK BX
1725470000	SLD 5.08V/14/90 4.5 SN SW BX	tbd	SLD 5.08V/14/90 3.2 SN BK BX
1725480000	SLD 5.08V/16/90 4.5 SW	tbd	SLD 5.08V/16/90 3.2 BK BX
1725490000	SLD 5.08V/18/90 4.5 SW	tbd	SLD 5.08V/18/90 3.2 BK BX
1725500000	SLD 5.08V/20/90 4.5 SW	tbd	SLD 5.08V/20/90 3.2 BK BX
1725510000	SLD 5.08V/22/90 4.5 SW	tbd	SLD 5.08V/22/90 3.2 BK BX
1725520000	SLD 5.08V/24/90 4.5 SW	tbd	SLD 5.08V/24/90 3.2 BK BX
1725530000	SLD 5.08V/26/90 4.5 SW	tbd	SLD 5.08V/26/90 3.2 BK BX
1725540000	SLD 5.08V/28/90 4.5 SW	tbd	SLD 5.08V/28/90 3.2 BK BX
1725550000	SLD 5.08V/30/90 4.5 SW	tbd	SLD 5.08V/30/90 3.2 BK BX
1725560000	SLD 5.08V/32/90 4.5 SW	tbd	SLD 5.08V/32/90 3.2 BK BX
1725570000	SLD 5.08V/34/90 4.5 SW	tbd	SLD 5.08V/34/90 3.2 BK BX
1725580000	SLD 5.08V/36/90 4.5 SW	tbd	SLD 5.08V/36/90 3.2 BK BX
1725590000	SLD 5.08V/38/90 4.5 SW	tbd	SLD 5.08V/38/90 3.2 BK BX

1725420000	SLD 5.08V/4/90 4.5 SW	1191540000	SLD 5.08V/04/90 3.2 SN BK BX
1725600000	SLD 5.08V/40/90 4.5 SW	tbd	SLD 5.08V/40/90 3.2 BK BX
1725610000	SLD 5.08V/42/90 4.5 SW	tbd	SLD 5.08V/42/90 3.2 BK BX
1725620000	SLD 5.08V/44/90 4.5 SW	tbd	SLD 5.08V/44/90 3.2 BK BX
1725630000	SLD 5.08V/46/90 4.5 SW	tbd	SLD 5.08V/46/90 3.2 BK BX
1725640000	SLD 5.08V/48/90 4.5 SW	tbd	SLD 5.08V/48/90 3.2 BK BX
1725440000	SLD 5.08V/8/90 4.5 SW	tbd	SLD 5.08V/08/90 3.2 BK BX
1744470000	SLD 5.08V/10/90 4.5 OR	1725200000	SLD 5.08V/10/90 3.2 SN OR BX
1744480000	SLD 5.08V/12/90 4.5 OR	1725210000	SLD 5.08V/12/90 3.2 SN OR BX
1744490000	SLD 5.08V/14/90 4.5 OR	1725220000	SLD 5.08V/14/90 3.2 SN OR BX
1744500000	SLD 5.08V/16/90 4.5 OR	1725230000	SLD 5.08V/16/90 3.2 SN OR BX
1744510000	SLD 5.08V/18/90 4.5 OR	1725240000	SLD 5.08V/18/90 3.2 SN OR BX
1744520000	SLD 5.08V/20/90 4.5 OR	1725250000	SLD 5.08V/20/90 3.2 SN OR BX
1744530000	SLD 5.08V/22/90 4.5 OR	1725260000	SLD 5.08V/22/90 3.2 SN OR BX
1744540000	SLD 5.08V/24/90 4.5 OR	1725270000	SLD 5.08V/24/90 3.2 SN OR BX
1744550000	SLD 5.08V/26/90 4.5 OR	1725280000	SLD 5.08V/26/90 3.2 SN OR BX
1744560000	SLD 5.08V/28/90 4.5 OR	1725290000	SLD 5.08V/28/90 3.2 SN OR BX
1744570000	SLD 5.08V/30/90 4.5 OR	1725300000	SLD 5.08V/30/90 3.2 SN OR BX
1744580000	SLD 5.08V/32/90 4.5 OR	1725310000	SLD 5.08V/32/90 3.2 SN OR BX
1744590000	SLD 5.08V/34/90 4.5 OR	1725320000	SLD 5.08V/34/90 3.2 SN OR BX
1744600000	SLD 5.08V/36/90 4.5 OR	1725330000	SLD 5.08V/36/90 3.2 SN OR BX
1744610000	SLD 5.08V/38/90 4.5 OR	1725340000	SLD 5.08V/38/90 3.2 SN OR BX
1744440000	SLD 5.08V/4/90 4.5 OR	1725170000	SLD 5.08V/04/90 3.2 SN OR BX
1744620000	SLD 5.08V/40/90 4.5 OR	1725350000	SLD 5.08V/40/90 3.2 SN OR BX
1744630000	SLD 5.08V/42/90 4.5 OR	1725360000	SLD 5.08V/42/90 3.2 SN OR BX
1744640000	SLD 5.08V/44/90 4.5 OR	1725370000	SLD 5.08V/44/90 3.2 SN OR BX
1744650000	SLD 5.08V/46/90 4.5 OR	1725380000	SLD 5.08V/46/90 3.2 SN OR BX
1744660000	SLD 5.08V/48/90 4.5 OR	1725390000	SLD 5.08V/48/90 3.2 SN OR BX
1744450000	SLD 5.08V/6/90 4.5 OR	1725180000	SLD 5.08V/06/90 3.2 SN OR BX
1744460000	SLD 5.08V/8/90 4.5 OR	1725190000	SLD 5.08V/08/90 3.2 SN OR BX
1726510000	SLD 5.08V/04/90B 4.5 SN SW BX	tbd	SLD 5.08V/04/90B 3.2SN BK BX BX
1726520000	SLD 5.08V/06/90B 4.5 SN SW BX	tbd	SLD 5.08V/06/90B 3.2SN BK BX BX
1726540000	SLD 5.08V/10/90B 4.5 SN SW BX	tbd	SLD 5.08V/10/90B 3.2SN BK BX BX
1726550000	SLD 5.08V/12/90B 4.5 SW	tbd	SLD 5.08V/12/90B 3.2BK BX
1726560000	SLD 5.08V/14/90B 4.5 SW	tbd	SLD 5.08V/14/90B 3.2BK BX
1726570000	SLD 5.08V/16/90B 4.5 SN SW BX	tbd	SLD 5.08V/16/90B 3.2SN BK BX BX
1726580000	SLD 5.08V/18/90B 4.5 SW	tbd	SLD 5.08V/18/90B 3.2BK BX
1726590000	SLD 5.08V/20/90B 4.5 SW	tbd	SLD 5.08V/20/90B 3.2BK BX
1726600000	SLD 5.08V/22/90B 4.5 SW	tbd	SLD 5.08V/22/90B 3.2BK BX
1726610000	SLD 5.08V/24/90B 4.5 SW	tbd	SLD 5.08V/24/90B 3.2BK BX
1726620000	SLD 5.08V/26/90B 4.5 SW	tbd	SLD 5.08V/26/90B 3.2BK BX
1726630000	SLD 5.08V/28/90B 4.5 SW	tbd	SLD 5.08V/28/90B 3.2BK BX
1726640000	SLD 5.08V/30/90B 4.5 SW	tbd	SLD 5.08V/30/90B 3.2BK BX
1726650000	SLD 5.08V/32/90B 4.5 SN SW BX	tbd	SLD 5.08V/32/90B 3.2SN BK BX BX
1726660000	SLD 5.08V/34/90B 4.5 SW	tbd	SLD 5.08V/34/90B 3.2BK BX
1726670000	SLD 5.08V/36/90B 4.5 SW	tbd	SLD 5.08V/36/90B 3.2BK BX
1726680000	SLD 5.08V/38/90B 4.5 SW	tbd	SLD 5.08V/38/90B 3.2BK BX
1726690000	SLD 5.08V/40/90B 4.5 SW	tbd	SLD 5.08V/40/90B 3.2BK BX
1726700000	SLD 5.08V/42/90B 4.5 SW	tbd	SLD 5.08V/42/90B 3.2BK BX
1726710000	SLD 5.08V/44/90B 4.5 SW	tbd	SLD 5.08V/44/90B 3.2BK BX
1726720000	SLD 5.08V/46/90B 4.5 SW	tbd	SLD 5.08V/46/90B 3.2BK BX
1726730000	SLD 5.08V/48/90B 4.5 SW	tbd	SLD 5.08V/48/90B 3.2BK BX
1726530000	SLD 5.08V/8/90B 4.5 SW	1203820000	SLD 5.08V/08/90B 3.2 SN BK BX
1744240000	SLD 5.08V/10/90B 4.5 OR	1726310000	SLD 5.08V/10/90B 3.2 SN OR BX
1744250000	SLD 5.08V/12/90B 4.5 OR	1726320000	SLD 5.08V/12/90B 3.2 SN OR BX

1744260000	SLD 5.08V/14/90B 4.5 OR	1726330000	SLD 5.08V/14/90B 3.2 SN OR BX
1744270000	SLD 5.08V/16/90B 4.5 OR	1726340000	SLD 5.08V/16/90B 3.2 SN OR BX
1744280000	SLD 5.08V/18/90B 4.5 OR	1726350000	SLD 5.08V/18/90B 3.2 SN OR BX
1744290000	SLD 5.08V/20/90B 4.5 OR	1726360000	SLD 5.08V/20/90B 3.2 SN OR BX
1744300000	SLD 5.08V/22/90B 4.5 OR	1726370000	SLD 5.08V/22/90B 3.2 SN OR BX
1744310000	SLD 5.08V/24/90B 4.5 OR	1726380000	SLD 5.08V/24/90B 3.2 SN OR BX
1744320000	SLD 5.08V/26/90B 4.5 OR	1726390000	SLD 5.08V/26/90B 3.2 SN OR BX
1744330000	SLD 5.08V/28/90B 4.5 OR	1726400000	SLD 5.08V/28/90B 3.2 SN OR BX
1744340000	SLD 5.08V/30/90B 4.5 OR	1726410000	SLD 5.08V/30/90B 3.2 SN OR BX
1744350000	SLD 5.08V/32/90B 4.5 OR	1726420000	SLD 5.08V/32/90B 3.2 SN OR BX
1744360000	SLD 5.08V/34/90B 4.5 OR	1726430000	SLD 5.08V/34/90B 3.2 SN OR BX
1744370000	SLD 5.08V/36/90B 4.5 OR	1726440000	SLD 5.08V/36/90B 3.2 SN OR BX
1744380000	SLD 5.08V/38/90B 4.5 OR	1726450000	SLD 5.08V/38/90B 3.2 SN OR BX
1744210000	SLD 5.08V/4/90B 4.5 OR	1726280000	SLD 5.08V/04/90B 3.2 SN OR BX
1744390000	SLD 5.08V/40/90B 4.5 OR	1726460000	SLD 5.08V/40/90B 3.2 SN OR BX
1744400000	SLD 5.08V/42/90B 4.5 OR	1726470000	SLD 5.08V/42/90B 3.2 SN OR BX
1744410000	SLD 5.08V/44/90B 4.5 OR	1726480000	SLD 5.08V/44/90B 3.2 SN OR BX
1744420000	SLD 5.08V/46/90B 4.5 OR	1726490000	SLD 5.08V/46/90B 3.2 SN OR BX
1744430000	SLD 5.08V/48/90B 4.5 OR	1726500000	SLD 5.08V/48/90B 3.2 SN OR BX
1744220000	SLD 5.08V/6/90B 4.5 OR	1726290000	SLD 5.08V/06/90B 3.2 SN OR BX
1744230000	SLD 5.08V/8/90B 4.5 OR	1726300000	SLD 5.08V/08/90B 3.2 SN OR BX
1711450000	SLD 5.08/04/90G 4.5SN BK BX	tbd	SLD 5.08/04/90G 3.2SN BK BX
1675320000	SLD 5.08/06/90G 4.5SN BK BX	1057380000	SLD 5.08/06/90G 3.2SN BK BX
1675330000	SLD 5.08/08/90G 4.5SN BK BX	1057370000	SLD 5.08/08/90G 3.2SN BK BX
1711480000	SLD 5.08/10/90G 4.5SN BK BX	tbd	SLD 5.08/10/90G 3.2SN BK BX
1711490000	SLD 5.08/12/90G 4.5SN BK BX	tbd	SLD 5.08/12/90G 3.2SN BK BX
1711500000	SLD 5.08/14/90G 4.5SN BK BX	tbd	SLD 5.08/14/90G 3.2SN BK BX
1711510000	SLD 5.08/16/90G 4.5SN BK BX	tbd	SLD 5.08/16/90G 3.2SN BK BX
1711520000	SLD 5.08/18/90G 4.5SN BK BX	tbd	SLD 5.08/18/90G 3.2SN BK BX
1711530000	SLD 5.08/20/90G 4.5SN BK BX	tbd	SLD 5.08/20/90G 3.2SN BK BX
1711540000	SLD 5.08/22/90G 4.5SN BK BX	tbd	SLD 5.08/22/90G 3.2SN BK BX
1711550000	SLD 5.08/24/90G 4.5SN BK BX	1062440000	SLD 5.08/24/90G 3.2SN BK BX
1711560000	SLD 5.08/26/90G 4.5SN BK BX	tbd	SLD 5.08/26/90G 3.2SN BK BX
1711570000	SLD 5.08/28/90G 4.5SN BK BX	tbd	SLD 5.08/28/90G 3.2SN BK BX
1711580000	SLD 5.08/30/90G 4.5SN BK BX	tbd	SLD 5.08/30/90G 3.2SN BK BX
1711590000	SLD 5.08/32/90G 4.5SN BK BX	1208350000	SLD 5.08/32/90G 3.2SN BK BX
1711600000	SLD 5.08/34/90G 4.5SN BK BX	tbd	SLD 5.08/34/90G 3.2SN BK BX
1711610000	SLD 5.08/36/90G 4.5SN BK BX	tbd	SLD 5.08/36/90G 3.2SN BK BX
1711620000	SLD 5.08/38/90G 4.5SN BK BX	tbd	SLD 5.08/38/90G 3.2SN BK BX
1711630000	SLD 5.08/40/90G 4.5SN BK BX	tbd	SLD 5.08/40/90G 3.2SN BK BX
1711640000	SLD 5.08/42/90G 4.5SN BK BX	tbd	SLD 5.08/42/90G 3.2SN BK BX
1711650000	SLD 5.08/44/90G 4.5SN BK BX	tbd	SLD 5.08/44/90G 3.2SN BK BX
1711660000	SLD 5.08/46/90G 4.5SN BK BX	tbd	SLD 5.08/46/90G 3.2SN BK BX
1711670000	SLD 5.08/48/90G 4.5SN BK BX	tbd	SLD 5.08/48/90G 3.2SN BK BX
1602020000	SLD 5.08/04/90G 4.5SN OR BX	1601790000	SLD 5.08/04/90G 3.2SN OR BX
1602030000	SLD 5.08/06/90G 4.5SN OR BX	1601800000	SLD 5.08/06/90G 3.2SN OR BX
1602040000	SLD 5.08/08/90G 4.5SN OR BX	1601810000	SLD 5.08/08/90G 3.2SN OR BX
1602050000	SLD 5.08/10/90G 4.5SN OR BX	1601820000	SLD 5.08/10/90G 3.2SN OR BX
1602060000	SLD 5.08/12/90G 4.5SN OR BX	1601830000	SLD 5.08/12/90G 3.2SN OR BX
1602070000	SLD 5.08/14/90G 4.5SN OR BX	1601840000	SLD 5.08/14/90G 3.2SN OR BX
1602080000	SLD 5.08/16/90G 4.5SN OR BX	1601850000	SLD 5.08/16/90G 3.2SN OR BX
1602090000	SLD 5.08/18/90G 4.5SN OR BX	1601860000	SLD 5.08/18/90G 3.2SN OR BX
1602100000	SLD 5.08/20/90G 4.5SN OR BX	1601870000	SLD 5.08/20/90G 3.2SN OR BX
1602110000	SLD 5.08/22/90G 4.5SN OR BX	1601880000	SLD 5.08/22/90G 3.2SN OR BX
1602120000	SLD 5.08/24/90G 4.5SN OR BX	1601890000	SLD 5.08/24/90G 3.2SN OR BX

1602130000	SLD 5.08/26/90G 4.5SN OR BX	1601900000	SLD 5.08/26/90G 3.2SN OR BX
1602140000	SLD 5.08/28/90G 4.5SN OR BX	1601910000	SLD 5.08/28/90G 3.2SN OR BX
1602150000	SLD 5.08/30/90G 4.5SN OR BX	1601920000	SLD 5.08/30/90G 3.2SN OR BX
1602160000	SLD 5.08/32/90G 4.5SN OR BX	1601930000	SLD 5.08/32/90G 3.2SN OR BX
1602170000	SLD 5.08/34/90G 4.5SN OR BX	1601940000	SLD 5.08/34/90G 3.2SN OR BX
1602180000	SLD 5.08/36/90G 4.5SN OR BX	1601950000	SLD 5.08/36/90G 3.2SN OR BX
1602190000	SLD 5.08/38/90G 4.5SN OR BX	1601960000	SLD 5.08/38/90G 3.2SN OR BX
1602200000	SLD 5.08/40/90G 4.5SN OR BX	1601970000	SLD 5.08/40/90G 3.2SN OR BX
1602210000	SLD 5.08/42/90G 4.5SN OR BX	1601980000	SLD 5.08/42/90G 3.2SN OR BX
1602220000	SLD 5.08/44/90G 4.5SN OR BX	1601990000	SLD 5.08/44/90G 3.2SN OR BX
1602230000	SLD 5.08/46/90G 4.5SN OR BX	1602000000	SLD 5.08/46/90G 3.2SN OR BX
1602240000	SLD 5.08/48/90G 4.5SN OR BX	1602010000	SLD 5.08/48/90G 3.2SN OR BX
1635270000	SL 5.08/02/135 4.5SN BK BX	tbd	SL 5.08/02/135 3.2SN BK BX
1635280000	SL 5.08/03/135 4.5SN BK BX	1175330000	SL 5.08/03/135 3.2SN BK BX
1635290000	SL 5.08/04/135 4.5SN BK BX	tbd	SL 5.08/04/135 3.2SN BK BX
1635300000	SL 5.08/05/135 4.5SN BK BX	1907050000	SL 5.08/05/135 3.2SN BK BX
1635310000	SL 5.08/06/135 4.5SN BK BX	tbd	SL 5.08/06/135 3.2SN BK BX
1635320000	SL 5.08/07/135 4.5SN BK BX	tbd	SL 5.08/07/135 3.2SN BK BX
1635330000	SL 5.08/08/135 4.5SN BK BX	tbd	SL 5.08/08/135 3.2SN BK BX
1635340000	SL 5.08/09/135 4.5SN BK BX	tbd	SL 5.08/09/135 3.2SN BK BX
1635350000	SL 5.08/10/135 4.5SN BK BX	tbd	SL 5.08/10/135 3.2SN BK BX
1635360000	SL 5.08/11/135 4.5SN BK BX	tbd	SL 5.08/11/135 3.2SN BK BX
1635370000	SL 5.08/12/135 4.5SN BK BX	tbd	SL 5.08/12/135 3.2SN BK BX
1635380000	SL 5.08/13/135 4.5SN BK BX	tbd	SL 5.08/13/135 3.2SN BK BX
1635390000	SL 5.08/14/135 4.5SN BK BX	tbd	SL 5.08/14/135 3.2SN BK BX
1635400000	SL 5.08/15/135 4.5SN BK BX	tbd	SL 5.08/15/135 3.2SN BK BX
1635410000	SL 5.08/16/135 4.5SN BK BX	tbd	SL 5.08/16/135 3.2SN BK BX
1635420000	SL 5.08/17/135 4.5SN BK BX	tbd	SL 5.08/17/135 3.2SN BK BX
1635430000	SL 5.08/18/135 4.5SN BK BX	tbd	SL 5.08/18/135 3.2SN BK BX
1635440000	SL 5.08/19/135 4.5SN BK BX	tbd	SL 5.08/19/135 3.2SN BK BX
1635450000	SL 5.08/20/135 4.5SN BK BX	tbd	SL 5.08/20/135 3.2SN BK BX
1635460000	SL 5.08/21/135 4.5SN BK BX	tbd	SL 5.08/21/135 3.2SN BK BX
1635470000	SL 5.08/22/135 4.5SN BK BX	tbd	SL 5.08/22/135 3.2SN BK BX
1635480000	SL 5.08/23/135 4.5SN BK BX	tbd	SL 5.08/23/135 3.2SN BK BX
1635490000	SL 5.08/24/135 4.5SN BK BX	tbd	SL 5.08/24/135 3.2SN BK BX
1605760000	SL 5.08/02/135 4.5SN OR BX	1603060000	SL 5.08/02/135 3.2SN OR BX
1605770000	SL 5.08/03/135 4.5SN OR BX	1603070000	SL 5.08/03/135 3.2SN OR BX
1605780000	SL 5.08/04/135 4.5SN OR BX	1603080000	SL 5.08/04/135 3.2SN OR BX
1605790000	SL 5.08/05/135 4.5SN OR BX	1603090000	SL 5.08/05/135 3.2SN OR BX
1605800000	SL 5.08/06/135 4.5SN OR BX	1603100000	SL 5.08/06/135 3.2SN OR BX
1605810000	SL 5.08/07/135 4.5SN OR BX	1603110000	SL 5.08/07/135 3.2SN OR BX
1605820000	SL 5.08/08/135 4.5SN OR BX	1603120000	SL 5.08/08/135 3.2SN OR BX
1605830000	SL 5.08/09/135 4.5SN OR BX	1603130000	SL 5.08/09/135 3.2SN OR BX
1605840000	SL 5.08/10/135 4.5SN OR BX	1603140000	SL 5.08/10/135 3.2SN OR BX
1605850000	SL 5.08/11/135 4.5SN OR BX	1603150000	SL 5.08/11/135 3.2SN OR BX
1605860000	SL 5.08/12/135 4.5SN OR BX	1603160000	SL 5.08/12/135 3.2SN OR BX
1605870000	SL 5.08/13/135 4.5SN OR BX	1603170000	SL 5.08/13/135 3.2SN OR BX
1605880000	SL 5.08/14/135 4.5SN OR BX	1603180000	SL 5.08/14/135 3.2SN OR BX
1605890000	SL 5.08/15/135 4.5SN OR BX	1603190000	SL 5.08/15/135 3.2SN OR BX
1605900000	SL 5.08/16/135 4.5SN OR BX	1603200000	SL 5.08/16/135 3.2SN OR BX
1605910000	SL 5.08/17/135 4.5SN OR BX	1603210000	SL 5.08/17/135 3.2SN OR BX
1605920000	SL 5.08/18/135 4.5SN OR BX	1603220000	SL 5.08/18/135 3.2SN OR BX
1605930000	SL 5.08/19/135 4.5SN OR BX	1603230000	SL 5.08/19/135 3.2SN OR BX
1605940000	SL 5.08/20/135 4.5SN OR BX	1603240000	SL 5.08/20/135 3.2SN OR BX
1605950000	SL 5.08/21/135 4.5SN OR BX	1603250000	SL 5.08/21/135 3.2SN OR BX

1605960000	SL 5.08/22/135 4.5SN OR BX	1603260000	SL 5.08/22/135 3.2SN OR BX
1605970000	SL 5.08/23/135 4.5SN OR BX	1603270000	SL 5.08/23/135 3.2SN OR BX
1605980000	SL 5.08/24/135 4.5SN OR BX	1603280000	SL 5.08/24/135 3.2SN OR BX
1635500000	SL 5.08/02/135B 4.5SN BK BX	tbd	SL 5.08/02/135B 3.2SN BK BX
1635510000	SL 5.08/03/135B 4.5SN BK BX	tbd	SL 5.08/03/135B 3.2SN BK BX
1635520000	SL 5.08/04/135B 4.5SN BK BX	tbd	SL 5.08/04/135B 3.2SN BK BX
1635530000	SL 5.08/05/135B 4.5SN BK BX	tbd	SL 5.08/05/135B 3.2SN BK BX
1635540000	SL 5.08/06/135B 4.5SN BK BX	tbd	SL 5.08/06/135B 3.2SN BK BX
1635550000	SL 5.08/07/135B 4.5SN BK BX	tbd	SL 5.08/07/135B 3.2SN BK BX
1635560000	SL 5.08/08/135B 4.5SN BK BX	tbd	SL 5.08/08/135B 3.2SN BK BX
1635570000	SL 5.08/09/135B 4.5SN BK BX	tbd	SL 5.08/09/135B 3.2SN BK BX
1635580000	SL 5.08/10/135B 4.5SN BK BX	tbd	SL 5.08/10/135B 3.2SN BK BX
1635590000	SL 5.08/11/135B 4.5SN BK BX	tbd	SL 5.08/11/135B 3.2SN BK BX
1635600000	SL 5.08/12/135B 4.5SN BK BX	tbd	SL 5.08/12/135B 3.2SN BK BX
1635610000	SL 5.08/13/135B 4.5SN BK BX	tbd	SL 5.08/13/135B 3.2SN BK BX
1635620000	SL 5.08/14/135B 4.5SN BK BX	tbd	SL 5.08/14/135B 3.2SN BK BX
1635630000	SL 5.08/15/135B 4.5SN BK BX	tbd	SL 5.08/15/135B 3.2SN BK BX
1635640000	SL 5.08/16/135B 4.5SN BK BX	tbd	SL 5.08/16/135B 3.2SN BK BX
1635650000	SL 5.08/17/135B 4.5SN BK BX	tbd	SL 5.08/17/135B 3.2SN BK BX
1635660000	SL 5.08/18/135B 4.5SN BK BX	tbd	SL 5.08/18/135B 3.2SN BK BX
1635670000	SL 5.08/19/135B 4.5SN BK BX	tbd	SL 5.08/19/135B 3.2SN BK BX
1635680000	SL 5.08/20/135B 4.5SN BK BX	tbd	SL 5.08/20/135B 3.2SN BK BX
1635690000	SL 5.08/21/135B 4.5SN BK BX	tbd	SL 5.08/21/135B 3.2SN BK BX
1635700000	SL 5.08/22/135B 4.5SN BK BX	tbd	SL 5.08/22/135B 3.2SN BK BX
1635710000	SL 5.08/23/135B 4.5SN BK BX	tbd	SL 5.08/23/135B 3.2SN BK BX
1635720000	SL 5.08/24/135B 4.5SN BK BX	tbd	SL 5.08/24/135B 3.2SN BK BX
1605990000	SL 5.08/02/135B 4.5SN OR BX	1605530000	SL 5.08/02/135B 3.2SN OR BX
1606000000	SL 5.08/03/135B 4.5SN OR BX	1605540000	SL 5.08/03/135B 3.2SN OR BX
1606010000	SL 5.08/04/135B 4.5SN OR BX	1605550000	SL 5.08/04/135B 3.2SN OR BX
1606020000	SL 5.08/05/135B 4.5SN OR BX	1605560000	SL 5.08/05/135B 3.2SN OR BX
1606030000	SL 5.08/06/135B 4.5SN OR BX	1605570000	SL 5.08/06/135B 3.2SN OR BX
1606040000	SL 5.08/07/135B 4.5SN OR BX	1605580000	SL 5.08/07/135B 3.2SN OR BX
1606050000	SL 5.08/08/135B 4.5SN OR BX	1605590000	SL 5.08/08/135B 3.2SN OR BX
1606060000	SL 5.08/09/135B 4.5SN OR BX	1605600000	SL 5.08/09/135B 3.2SN OR BX
1606070000	SL 5.08/10/135B 4.5SN OR BX	1605610000	SL 5.08/10/135B 3.2SN OR BX
1606080000	SL 5.08/11/135B 4.5SN OR BX	1605620000	SL 5.08/11/135B 3.2SN OR BX
1606090000	SL 5.08/12/135B 4.5SN OR BX	1605630000	SL 5.08/12/135B 3.2SN OR BX
1606100000	SL 5.08/13/135B 4.5SN OR BX	1605640000	SL 5.08/13/135B 3.2SN OR BX
1606110000	SL 5.08/14/135B 4.5SN OR BX	1605650000	SL 5.08/14/135B 3.2SN OR BX
1606120000	SL 5.08/15/135B 4.5SN OR BX	1605660000	SL 5.08/15/135B 3.2SN OR BX
1606130000	SL 5.08/16/135B 4.5SN OR BX	1605670000	SL 5.08/16/135B 3.2SN OR BX
1606140000	SL 5.08/17/135B 4.5SN OR BX	1605680000	SL 5.08/17/135B 3.2SN OR BX
1606150000	SL 5.08/18/135B 4.5SN OR BX	1605690000	SL 5.08/18/135B 3.2SN OR BX
1606160000	SL 5.08/19/135B 4.5SN OR BX	1605700000	SL 5.08/19/135B 3.2SN OR BX
1606170000	SL 5.08/20/135B 4.5SN OR BX	1605710000	SL 5.08/20/135B 3.2SN OR BX
1606180000	SL 5.08/21/135B 4.5SN OR BX	1605720000	SL 5.08/21/135B 3.2SN OR BX
1606190000	SL 5.08/22/135B 4.5SN OR BX	1605730000	SL 5.08/22/135B 3.2SN OR BX
1606200000	SL 5.08/23/135B 4.5SN OR BX	1605740000	SL 5.08/23/135B 3.2SN OR BX
1606210000	SL 5.08/24/135B 4.5SN OR BX	1605750000	SL 5.08/24/135B 3.2SN OR BX
1521810000	SL 5.08/02/180 4.5 SN BK BX	1148080000	SL 5.08HC/02/180 3.2SN BK BX
1521910000	SL 5.08/03/180 4.5 SN BK BX	1148110000	SL 5.08HC/03/180 3.2SN BK BX
1522010000	SL 5.08/04/180 4.5 SN BK BX	1148140000	SL 5.08HC/04/180 3.2SN BK BX
1522110000	SL 5.08/05/180 4.5 SN BK BX	1148180000	SL 5.08HC/05/180 3.2SN BK BX
1522210000	SL 5.08/06/180 4.5 SN BK BX	1148210000	SL 5.08HC/06/180 3.2SN BK BX
1522310000	SL 5.08/07/180 4.5 SN BK BX	1148230000	SL 5.08HC/07/180 3.2SN BK BX

1522410000	SL 5.08/08/180 4.5 SN BK BX	1148250000	SL 5.08HC/08/180 3.2SN BK BX
1522510000	SL 5.08/09/180 4.5 SN BK BX	1148270000	SL 5.08HC/09/180 3.2SN BK BX
1522610000	SL 5.08/10/180 4.5 SN BK BX	1148290000	SL 5.08HC/10/180 3.2SN BK BX
1522710000	SL 5.08/11/180 4.5 SN BK BX	1148310000	SL 5.08HC/11/180 3.2SN BK BX
1522810000	SL 5.08/12/180 4.5 SN BK BX	1148330000	SL 5.08HC/12/180 3.2SN BK BX
1522910000	SL 5.08/13/180 4.5SN BK BX	1148350000	SL 5.08HC/13/180 3.2SN BK BX
1523010000	SL 5.08/14/180 4.5 SN BK BX	1148370000	SL 5.08HC/14/180 3.2SN BK BX
1523110000	SL 5.08/15/180 4.5 SN BK BX	1148390000	SL 5.08HC/15/180 3.2SN BK BX
1523210000	SL 5.08/16/180 4.5 SN BK BX	1148410000	SL 5.08HC/16/180 3.2SN BK BX
1523310000	SL 5.08/17/180 4.5SN BK BX	1148430000	SL 5.08HC/17/180 3.2SN BK BX
1523410000	SL 5.08/18/180 4.5 SN BK BX	1148450000	SL 5.08HC/18/180 3.2SN BK BX
1523510000	SL 5.08/19/180 4.5 SN BK BX	1148480000	SL 5.08HC/19/180 3.2SN BK BX
1523610000	SL 5.08/20/180 4.5 SN BK BX	1148510000	SL 5.08HC/20/180 3.2SN BK BX
1523710000	SL 5.08/21/180 4.5SN BK BX	1148530000	SL 5.08HC/21/180 3.2SN BK BX
1523810000	SL 5.08/22/180 4.5SN BK BX	1148550000	SL 5.08HC/22/180 3.2SN BK BX
1523910000	SL 5.08/23/180 4.5SN BK BX	1148580000	SL 5.08HC/23/180 3.2SN BK BX
1524010000	SL 5.08/24/180 4.5SN BK BX	1148600000	SL 5.08HC/24/180 3.2SN BK BX
1521860000	SL 5.08/02/180 4.5 SN OR BX	1146320000	SL 5.08HC/02/180 3.2SN OR BX
1521960000	SL 5.08/03/180 4.5 SN OR BX	1146340000	SL 5.08HC/03/180 3.2SN OR BX
1522060000	SL 5.08/04/180 4.5 SN OR BX	1146380000	SL 5.08HC/04/180 3.2SN OR BX
1522160000	SL 5.08/05/180 4.5 SN OR BX	1146410000	SL 5.08HC/05/180 3.2SN OR BX
1522260000	SL 5.08/06/180 4.5 SN OR BX	1146450000	SL 5.08HC/06/180 3.2SN OR BX
1522360000	SL 5.08/07/180 4.5 SN OR BX	1146470000	SL 5.08HC/07/180 3.2SN OR BX
1522460000	SL 5.08/08/180 4.5 SN OR BX	1146490000	SL 5.08HC/08/180 3.2SN OR BX
1522560000	SL 5.08/09/180 4.5 SN OR BX	1146510000	SL 5.08HC/09/180 3.2SN OR BX
1522660000	SL 5.08/10/180 4.5 SN OR BX	1146530000	SL 5.08HC/10/180 3.2SN OR BX
1522760000	SL 5.08/11/180 4.5 SN OR BX	1146550000	SL 5.08HC/11/180 3.2SN OR BX
1522860000	SL 5.08/12/180 4.5 SN OR BX	1146570000	SL 5.08HC/12/180 3.2SN OR BX
1522960000	SL 5.08/13/180 4.5 SN OR BX	1146580000	SL 5.08HC/13/180 3.2SN OR BX
1523060000	SL 5.08/14/180 4.5 SN OR BX	1146590000	SL 5.08HC/14/180 3.2SN OR BX
1523160000	SL 5.08/15/180 4.5 SN OR BX	1146600000	SL 5.08HC/15/180 3.2SN OR BX
1523260000	SL 5.08/16/180 4.5 SN OR BX	1146610000	SL 5.08HC/16/180 3.2SN OR BX
1523360000	SL 5.08/17/180 4.5 SN OR BX	1146620000	SL 5.08HC/17/180 3.2SN OR BX
1523460000	SL 5.08/18/180 4.5 SN OR BX	1146630000	SL 5.08HC/18/180 3.2SN OR BX
1523560000	SL 5.08/19/180 4.5SN OR BX	1146640000	SL 5.08HC/19/180 3.2SN OR BX
1523660000	SL 5.08/20/180 4.5SN OR BX	1146650000	SL 5.08HC/20/180 3.2SN OR BX
1523760000	SL 5.08/21/180 4.5SN OR BX	1146680000	SL 5.08HC/21/180 3.2SN OR BX
1523860000	SL 5.08/22/180 4.5SN OR BX	1146690000	SL 5.08HC/22/180 3.2SN OR BX
1524110000	SL 5.08/02/180B 4.5 SN BK BX	1149400000	SL 5.08HC/02/180B 3.2SN BK BX
1524210000	SL 5.08/03/180B 4.5 SN BK BX	1149430000	SL 5.08HC/03/180B 3.2SN BK BX
1524310000	SL 5.08/04/180B 4.5 SN BK BX	1149470000	SL 5.08HC/04/180B 3.2SN BK BX
1524410000	SL 5.08/05/180B 4.5 SN BK BX	1149500000	SL 5.08HC/05/180B 3.2SN BK BX
1524510000	SL 5.08/06/180B 4.5 SN BK BX	1149530000	SL 5.08HC/06/180B 3.2SN BK BX
1524610000	SL 5.08/07/180B 4.5 SN BK BX	1149570000	SL 5.08HC/07/180B 3.2SN BK BX
1524710000	SL 5.08/08/180B 4.5 SN BK BX	1149600000	SL 5.08HC/08/180B 3.2SN BK BX
1524810000	SL 5.08/09/180B 4.5 SN BK BX	1149630000	SL 5.08HC/09/180B 3.2SN BK BX
1524910000	SL 5.08/10/180B 4.5 SN BK BX	1149670000	SL 5.08HC/10/180B 3.2SN BK BX
1525010000	SL 5.08/11/180B 4.5 SN BK BX	1149700000	SL 5.08HC/11/180B 3.2SN BK BX
1525110000	SL 5.08/12/180B 4.5 SN BK BX	1149730000	SL 5.08HC/12/180B 3.2SN BK BX
1525210000	SL 5.08/13/180B 4.5 SN BK BX	1149770000	SL 5.08HC/13/180B 3.2SN BK BX
1525310000	SL 5.08/14/180B 4.5 SN BK BX	1149800000	SL 5.08HC/14/180B 3.2SN BK BX
1525410000	SL 5.08/15/180B 4.5 SN BK BX	1149830000	SL 5.08HC/15/180B 3.2SN BK BX
1525510000	SL 5.08/16/180B 4.5 SN BK BX	1149870000	SL 5.08HC/16/180B 3.2SN BK BX
1525610000	SL 5.08/17/180B 4.5 SN BK BX	1149900000	SL 5.08HC/17/180B 3.2SN BK BX
1525710000	SL 5.08/18/180B 4.5 SN BK BX	1149930000	SL 5.08HC/18/180B 3.2SN BK BX

1525810000	SL 5.08/19/180B 4.5SN BK BX	1149970000	SL 5.08HC/19/180B 3.2SN BK BX
1525910000	SL 5.08/20/180B 4.5 SN BK BX	1149990000	SL 5.08HC/20/180B 3.2SN BK BX
1526010000	SL 5.08/21/180B 4.5SN BK BX	1150010000	SL 5.08HC/21/180B 3.2SN BK BX
1526110000	SL 5.08/22/180B 4.5 SN BK BX	1150030000	SL 5.08HC/22/180B 3.2SN BK BX
1526210000	SL 5.08/23/180B 4.5 SN BK BX	1150050000	SL 5.08HC/23/180B 3.2SN BK BX
1526310000	SL 5.08/24/180B 4.5 SN BK BX	1150080000	SL 5.08HC/24/180B 3.2SN BK BX
1524160000	SL 5.08/02/180B 4.5 SN OR BX	1147300000	SL 5.08HC/02/180B 3.2SN OR BX
1524260000	SL 5.08/03/180B 4.5 SN OR BX	1147330000	SL 5.08HC/03/180B 3.2SN OR BX
1524360000	SL 5.08/04/180B 4.5 SN OR BX	1147360000	SL 5.08HC/04/180B 3.2SN OR BX
1524460000	SL 5.08/05/180B 4.5 SN OR BX	1147390000	SL 5.08HC/05/180B 3.2SN OR BX
1524560000	SL 5.08/06/180B 4.5 SN OR BX	1147430000	SL 5.08HC/06/180B 3.2SN OR BX
1524660000	SL 5.08/07/180B 4.5 SN OR BX	1147470000	SL 5.08HC/07/180B 3.2SN OR BX
1524760000	SL 5.08/08/180B 4.5 SN OR BX	1147510000	SL 5.08HC/08/180B 3.2SN OR BX
1524860000	SL 5.08/09/180B 4.5 SN OR BX	1147540000	SL 5.08HC/09/180B 3.2SN OR BX
1524960000	SL 5.08/10/180B 4.5 SN OR BX	1147580000	SL 5.08HC/10/180B 3.2SN OR BX
1525060000	SL 5.08/11/180B 4.5 SN OR BX	1147610000	SL 5.08HC/11/180B 3.2SN OR BX
1525160000	SL 5.08/12/180B 4.5 SN OR BX	1147640000	SL 5.08HC/12/180B 3.2SN OR BX
1525260000	SL 5.08/13/180B 4.5 SN OR BX	1147670000	SL 5.08HC/13/180B 3.2SN OR BX
1525360000	SL 5.08/14/180B 4.5 SN OR BX	1147710000	SL 5.08HC/14/180B 3.2SN OR BX
1525460000	SL 5.08/15/180B 4.5 SN OR BX	1147730000	SL 5.08HC/15/180B 3.2SN OR BX
1525560000	SL 5.08/16/180B 4.5 SN OR BX	1147770000	SL 5.08HC/16/180B 3.2SN OR BX
1525660000	SL 5.08/17/180B 4.5SN OR BX	1147800000	SL 5.08HC/17/180B 3.2SN OR BX
1525760000	SL 5.08/18/180B 4.5 SN OR BX	1147830000	SL 5.08HC/18/180B 3.2SN OR BX
1525860000	SL 5.08/19/180B 4.5 SN OR BX	1147870000	SL 5.08HC/19/180B 3.2SN OR BX
1525960000	SL 5.08/20/180B 4.5 SN OR BX	1147900000	SL 5.08HC/20/180B 3.2SN OR BX
1526060000	SL 5.08/21/180B 4.5 SN OR BX	1147930000	SL 5.08HC/21/180B 3.2SN OR BX
1526160000	SL 5.08/22/180B 4.5SN OR BX	1147970000	SL 5.08HC/22/180B 3.2SN OR BX
1526260000	SL 5.08/23/180B 4.5SN OR BX	1148010000	SL 5.08HC/23/180B 3.2SN OR BX
1526360000	SL 5.08/24/180B 4.5 SN OR BX	1148040000	SL 5.08HC/24/180B 3.2SN OR BX
1512610000	SL 5.08/02/90 4.5SN BK BX	1155030000	SL 5.08HC/02/90 3.2SN BK BX
1512710000	SL 5.08/03/90 4.5SN BK BX	1155040000	SL 5.08HC/03/90 3.2SN BK BX
1512810000	SL 5.08/04/90 4.5SN BK BX	1155050000	SL 5.08HC/04/90 3.2SN BK BX
1512910000	SL 5.08/05/90 4.5SN BK BX	1155060000	SL 5.08HC/05/90 3.2SN BK BX
1513010000	SL 5.08/06/90 4.5SN BK BX	1155070000	SL 5.08HC/06/90 3.2SN BK BX
1513110000	SL 5.08/07/90 4.5SN BK BX	1155080000	SL 5.08HC/07/90 3.2SN BK BX
1513210000	SL 5.08/08/90 4.5SN BK BX	1155090000	SL 5.08HC/08/90 3.2SN BK BX
1513310000	SL 5.08/09/90 4.5SN BK BX	1155100000	SL 5.08HC/09/90 3.2SN BK BX
1513410000	SL 5.08/10/90 4.5SN BK BX	1155130000	SL 5.08HC/10/90 3.2SN BK BX
1513510000	SL 5.08/11/90 4.5SN BK BX	1155140000	SL 5.08HC/11/90 3.2SN BK BX
1513610000	SL 5.08/12/90 4.5SN BK BX	1155150000	SL 5.08HC/12/90 3.2SN BK BX
1513710000	SL 5.08/13/90 4.5SN BK BX	1155170000	SL 5.08HC/13/90 3.2SN BK BX
1513810000	SL 5.08/14/90 4.5SN BK BX	1155180000	SL 5.08HC/14/90 3.2SN BK BX
1513910000	SL 5.08/15/90 4.5SN BK BX	1155190000	SL 5.08HC/15/90 3.2SN BK BX
1514010000	SL 5.08/16/90 4.5SN BK BX	1155200000	SL 5.08HC/16/90 3.2SN BK BX
1514110000	SL 5.08/17/90 4.5SN BK BX	1155230000	SL 5.08HC/17/90 3.2SN BK BX
1514210000	SL 5.08/18/90 4.5SN BK BX	1155240000	SL 5.08HC/18/90 3.2SN BK BX
1514310000	SL 5.08/19/90 4.5SN BK BX	1155250000	SL 5.08HC/19/90 3.2SN BK BX
1514410000	SL 5.08/20/90 4.5SN BK BX	1155270000	SL 5.08HC/20/90 3.2SN BK BX
1514510000	SL 5.08/21/90 4.5SN BK BX	1155280000	SL 5.08HC/21/90 3.2SN BK BX
1514610000	SL 5.08/22/90 4.5SN BK BX	1155290000	SL 5.08HC/22/90 3.2SN BK BX
1514710000	SL 5.08/23/90 4.5SN BK BX	1155300000	SL 5.08HC/23/90 3.2SN BK BX
1514810000	SL 5.08/24/90 4.5SN BK BX	1155310000	SL 5.08HC/24/90 3.2SN BK BX
1512660000	SL 5.08/02/90 4.5SN OR BX	1146720000	SL 5.08HC/02/90 3.2SN OR BX
1512760000	SL 5.08/03/90 4.5SN OR BX	1146740000	SL 5.08HC/03/90 3.2SN OR BX
1512860000	SL 5.08/04/90 4.5SN OR BX	1146770000	SL 5.08HC/04/90 3.2SN OR BX

1512960000	SL 5.08/05/90 4.5SN OR BX	1146790000	SL 5.08HC/05/90 3.2SN OR BX
1513060000	SL 5.08/06/90 4.5SN OR BX	1146810000	SL 5.08HC/06/90 3.2SN OR BX
1513160000	SL 5.08/07/90 4.5SN OR BX	1146830000	SL 5.08HC/07/90 3.2SN OR BX
1513260000	SL 5.08/08/90 4.5SN OR BX	1146850000	SL 5.08HC/08/90 3.2SN OR BX
1513360000	SL 5.08/09/90 4.5SN OR BX	1146880000	SL 5.08HC/09/90 3.2SN OR BX
1513460000	SL 5.08/10/90 4.5SN OR BX	1146900000	SL 5.08HC/10/90 3.2SN OR BX
1513560000	SL 5.08/11/90 4.5SN OR BX	1146920000	SL 5.08HC/11/90 3.2SN OR BX
1513660000	SL 5.08/12/90 4.5SN OR BX	1146940000	SL 5.08HC/12/90 3.2SN OR BX
1513760000	SL 5.08/13/90 4.5SN OR BX	1146970000	SL 5.08HC/13/90 3.2SN OR BX
1513860000	SL 5.08/14/90 4.5SN OR BX	1146990000	SL 5.08HC/14/90 3.2SN OR BX
1513960000	SL 5.08/15/90 4.5SN OR BX	1147010000	SL 5.08HC/15/90 3.2SN OR BX
1514060000	SL 5.08/16/90 4.5SN OR BX	1147030000	SL 5.08HC/16/90 3.2SN OR BX
1514160000	SL 5.08/17/90 4.5SN OR BX	1147050000	SL 5.08HC/17/90 3.2SN OR BX
1514260000	SL 5.08/18/90 4.5SN OR BX	1147080000	SL 5.08HC/18/90 3.2SN OR BX
1514360000	SL 5.08/19/90 4.5SN OR BX	1147100000	SL 5.08HC/19/90 3.2SN OR BX
1514460000	SL 5.08/20/90 4.5SN OR BX	1147120000	SL 5.08HC/20/90 3.2SN OR BX
1514560000	SL 5.08/21/90 4.5SN OR BX	1147150000	SL 5.08HC/21/90 3.2SN OR BX
1514660000	SL 5.08/22/90 4.5SN OR BX	1147190000	SL 5.08HC/22/90 3.2SN OR BX
1514760000	SL 5.08/23/90 4.5SN OR BX	1147220000	SL 5.08HC/23/90 3.2SN OR BX
1514860000	SL 5.08/24/90 4.5SN OR BX	1147250000	SL 5.08HC/24/90 3.2SN OR BX
1514910000	SL 5.08/02/90B 4.5SN BK BX	1155580000	SL 5.08HC/02/90B 3.2SN BK BX
1515010000	SL 5.08/03/90B 4.5SN BK BX	1155590000	SL 5.08HC/03/90B 3.2SN BK BX
1515110000	SL 5.08/04/90B 4.5SN BK BX	1155600000	SL 5.08HC/04/90B 3.2SN BK BX
1515210000	SL 5.08/05/90B 4.5SN BK BX	1155610000	SL 5.08HC/05/90B 3.2SN BK BX
1515310000	SL 5.08/06/90B 4.5SN BK BX	1155620000	SL 5.08HC/06/90B 3.2SN BK BX
1515410000	SL 5.08/07/90B 4.5SN BK BX	1155630000	SL 5.08HC/07/90B 3.2SN BK BX
1515510000	SL 5.08/08/90B 4.5SN BK BX	1155640000	SL 5.08HC/08/90B 3.2SN BK BX
1515610000	SL 5.08/09/90B 4.5SN BK BX	1155650000	SL 5.08HC/09/90B 3.2SN BK BX
1515710000	SL 5.08/10/90B 4.5SN BK BX	1155670000	SL 5.08HC/10/90B 3.2SN BK BX
1515810000	SL 5.08/11/90B 4.5SN BK BX	1155680000	SL 5.08HC/11/90B 3.2SN BK BX
1515910000	SL 5.08/12/90B 4.5SN BK BX	1155690000	SL 5.08HC/12/90B 3.2SN BK BX
1516010000	SL 5.08/13/90B 4.5SN BK BX	1155700000	SL 5.08HC/13/90B 3.2SN BK BX
1516110000	SL 5.08/14/90B 4.5SN BK BX	1155710000	SL 5.08HC/14/90B 3.2SN BK BX
1516210000	SL 5.08/15/90B 4.5SN BK BX	1155720000	SL 5.08HC/15/90B 3.2SN BK BX
1516310000	SL 5.08/16/90B 4.5SN BK BX	1155730000	SL 5.08HC/16/90B 3.2SN BK BX
1516410000	SL 5.08/17/90B 4.5SN BK BX	1155740000	SL 5.08HC/17/90B 3.2SN BK BX
1516510000	SL 5.08/18/90B 4.5SN BK BX	1155750000	SL 5.08HC/18/90B 3.2SN BK BX
1516610000	SL 5.08/19/90B 4.5SN BK BX	1155770000	SL 5.08HC/19/90B 3.2SN BK BX
1516710000	SL 5.08/20/90B 4.5SN BK BX	1155780000	SL 5.08HC/20/90B 3.2SN BK BX
1516810000	SL 5.08/21/90B 4.5SN BK BX	1155790000	SL 5.08HC/21/90B 3.2SN BK BX
1516910000	SL 5.08/22/90B 4.5SN BK BX	1155800000	SL 5.08HC/22/90B 3.2SN BK BX
1517010000	SL 5.08/23/90B 4.5SN BK BX	1155810000	SL 5.08HC/23/90B 3.2SN BK BX
1517110000	SL 5.08/24/90B 4.5SN BK BX	1155820000	SL 5.08HC/24/90B 3.2SN BK BX
1514960000	SL 5.08/02/90B 4.5SN OR BX	1148030000	SL 5.08HC/02/90B 3.2SN OR BX
1515060000	SL 5.08/03/90B 4.5SN OR BX	1148070000	SL 5.08HC/03/90B 3.2SN OR BX
1515160000	SL 5.08/04/90B 4.5SN OR BX	1148100000	SL 5.08HC/04/90B 3.2SN OR BX
1515260000	SL 5.08/05/90B 4.5SN OR BX	1148130000	SL 5.08HC/05/90B 3.2SN OR BX
1515360000	SL 5.08/06/90B 4.5SN OR BX	1148170000	SL 5.08HC/06/90B 3.2SN OR BX
1515460000	SL 5.08/07/90B 4.5SN OR BX	1148200000	SL 5.08HC/07/90B 3.2SN OR BX
1515560000	SL 5.08/08/90B 4.5SN OR BX	1154830000	SL 5.08HC/08/90B 3.2SN OR BX
1515660000	SL 5.08/09/90B 4.5SN OR BX	1154840000	SL 5.08HC/09/90B 3.2SN OR BX
1515760000	SL 5.08/10/90B 4.5SN OR BX	1154850000	SL 5.08HC/10/90B 3.2SN OR BX
1515860000	SL 5.08/11/90B 4.5SN OR BX	1154870000	SL 5.08HC/11/90B 3.2SN OR BX
1515960000	SL 5.08/12/90B 4.5SN OR BX	1154880000	SL 5.08HC/12/90B 3.2SN OR BX
1516060000	SL 5.08/13/90B 4.5SN OR BX	1154890000	SL 5.08HC/13/90B 3.2SN OR BX

1516160000	SL 5.08/14/90B 4.5SN OR BX	1154900000	SL 5.08HC/14/90B 3.2SN OR BX
1516260000	SL 5.08/15/90B 4.5SN OR BX	1154910000	SL 5.08HC/15/90B 3.2SN OR BX
1516360000	SL 5.08/16/90B 4.5SN OR BX	1154920000	SL 5.08HC/16/90B 3.2SN OR BX
1516460000	SL 5.08/17/90B 4.5SN OR BX	1154930000	SL 5.08HC/17/90B 3.2SN OR BX
1516560000	SL 5.08/18/90B 4.5SN OR BX	1154940000	SL 5.08HC/18/90B 3.2SN OR BX
1516660000	SL 5.08/19/90B 4.5SN OR BX	1154950000	SL 5.08HC/19/90B 3.2SN OR BX
1516760000	SL 5.08/20/90B 4.5SN OR BX	1154970000	SL 5.08HC/20/90B 3.2SN OR BX
1516860000	SL 5.08/21/90B 4.5SN OR BX	1154980000	SL 5.08HC/21/90B 3.2SN OR BX
1516960000	SL 5.08/22/90B 4.5SN OR BX	1154990000	SL 5.08HC/22/90B 3.2SN OR BX
1517060000	SL 5.08/23/90B 4.5SN OR BX	1155010000	SL 5.08HC/23/90B 3.2SN OR BX
1517160000	SL 5.08/24/90B 4.5SN OR BX	1155020000	SL 5.08HC/24/90B 3.2SN OR BX
1629350000	SL 7.50/02/180 4.5SN BK BX	tbd	SL 7.50/02/180 3.2SN BK BX
1629360000	SL 7.50/03/180 4.5SN BK BX	tbd	SL 7.50/03/180 3.2SN BK BX
1629370000	SL 7.50/04/180 4.5SN BK BX	tbd	SL 7.50/04/180 3.2SN BK BX
1629380000	SL 7.50/05/180 4.5SN BK BX	tbd	SL 7.50/05/180 3.2SN BK BX
1629390000	SL 7.50/06/180 4.5SN BK BX	tbd	SL 7.50/06/180 3.2SN BK BX
1629400000	SL 7.50/07/180 4.5SN BK BX	tbd	SL 7.50/07/180 3.2SN BK BX
1629410000	SL 7.50/08/180 4.5SN BK BX	tbd	SL 7.50/08/180 3.2SN BK BX
1629420000	SL 7.50/09/180 4.5SN BK BX	tbd	SL 7.50/09/180 3.2SN BK BX
1629430000	SL 7.50/10/180 4.5SN BK BX	tbd	SL 7.50/10/180 3.2SN BK BX
1629440000	SL 7.50/11/180 4.5SN BK BX	tbd	SL 7.50/11/180 3.2SN BK BX
1629450000	SL 7.50/12/180 4.5SN BK BX	tbd	SL 7.50/12/180 3.2SN BK BX
1629240000	SL 7.50/02/180 4.5SN OR BX	1629020000	SL 7.50/02/180 3.2SN OR BX
1629250000	SL 7.50/03/180 4.5SN OR BX	1629030000	SL 7.50/03/180 3.2SN OR BX
1629260000	SL 7.50/04/180 4.5SN OR BX	1629040000	SL 7.50/04/180 3.2SN OR BX
1629270000	SL 7.50/05/180 4.5SN OR BX	1629050000	SL 7.50/05/180 3.2SN OR BX
1629280000	SL 7.50/06/180 4.5SN OR BX	1629060000	SL 7.50/06/180 3.2SN OR BX
1629290000	SL 7.50/07/180 4.5SN OR BX	1629070000	SL 7.50/07/180 3.2SN OR BX
1629300000	SL 7.50/08/180 4.5SN OR BX	1629080000	SL 7.50/08/180 3.2SN OR BX
1629310000	SL 7.50/09/180 4.5SN OR BX	1629090000	SL 7.50/09/180 3.2SN OR BX
1629320000	SL 7.50/10/180 4.5SN OR BX	1629100000	SL 7.50/10/180 3.2SN OR BX
1629330000	SL 7.50/11/180 4.5SN OR BX	1629110000	SL 7.50/11/180 3.2SN OR BX
1629340000	SL 7.50/12/180 4.5SN OR BX	1629120000	SL 7.50/12/180 3.2SN OR BX
1629570000	SL 7.50/02/180B 4.5SN BK BX	tbd	SL 7.50/02/180B 3.2SN BK BX
1629580000	SL 7.50/03/180B 4.5SN BK BX	tbd	SL 7.50/03/180B 3.2SN BK BX
1629590000	SL 7.50/04/180B 4.5SN BK BX	1212330000	SL 7.50/04/180B 3.2SN BK BX
1629600000	SL 7.50/05/180B 4.5SN BK BX	tbd	SL 7.50/05/180B 3.2SN BK BX
1629610000	SL 7.50/06/180B 4.5SN BK BX	tbd	SL 7.50/06/180B 3.2SN BK BX
1629620000	SL 7.50/07/180B 4.5SN BK BX	tbd	SL 7.50/07/180B 3.2SN BK BX
1629630000	SL 7.50/08/180B 4.5SN BK BX	tbd	SL 7.50/08/180B 3.2SN BK BX
1629640000	SL 7.50/09/180B 4.5SN BK BX	tbd	SL 7.50/09/180B 3.2SN BK BX
1629650000	SL 7.50/10/180B 4.5SN BK BX	tbd	SL 7.50/10/180B 3.2SN BK BX
1629660000	SL 7.50/11/180B 4.5SN BK BX	tbd	SL 7.50/11/180B 3.2SN BK BX
1629670000	SL 7.50/12/180B 4.5SN BK BX	tbd	SL 7.50/12/180B 3.2SN BK BX
1629460000	SL 7.50/02/180B 4.5SN OR BX	tbd	SL 7.50/02/180B 3.2SN OR BX
1629470000	SL 7.50/03/180B 4.5SN OR BX	tbd	SL 7.50/03/180B 3.2SN OR BX
1629480000	SL 7.50/04/180B 4.5SN OR BX	tbd	SL 7.50/04/180B 3.2SN OR BX
1629490000	SL 7.50/05/180B 4.5SN OR BX	tbd	SL 7.50/05/180B 3.2SN OR BX
1629500000	SL 7.50/06/180B 4.5SN OR BX	tbd	SL 7.50/06/180B 3.2SN OR BX
1629510000	SL 7.50/07/180B 4.5SN OR BX	tbd	SL 7.50/07/180B 3.2SN OR BX
1629520000	SL 7.50/08/180B 4.5SN OR BX	tbd	SL 7.50/08/180B 3.2SN OR BX
1629530000	SL 7.50/09/180B 4.5SN OR BX	tbd	SL 7.50/09/180B 3.2SN OR BX
1629540000	SL 7.50/10/180B 4.5SN OR BX	tbd	SL 7.50/10/180B 3.2SN OR BX
1629550000	SL 7.50/11/180B 4.5SN OR BX	tbd	SL 7.50/11/180B 3.2SN OR BX
1629560000	SL 7.50/12/180B 4.5SN OR BX	tbd	SL 7.50/12/180B 3.2SN OR BX

1628690000	SL 7.50/02/90 4.5SN BK BX	tbd	SL 7.50/02/90 3.2SN BK BX
1628700000	SL 7.50/03/90 4.5SN BK BX	tbd	SL 7.50/03/90 3.2SN BK BX
1628710000	SL 7.50/04/90 4.5SN BK BX	tbd	SL 7.50/04/90 3.2SN BK BX
1628720000	SL 7.50/05/90 4.5SN BK BX	tbd	SL 7.50/05/90 3.2SN BK BX
1628730000	SL 7.50/06/90 4.5SN BK BX	tbd	SL 7.50/06/90 3.2SN BK BX
1628740000	SL 7.50/07/90 4.5SN BK BX	tbd	SL 7.50/07/90 3.2SN BK BX
1628750000	SL 7.50/08/90 4.5SN BK BX	tbd	SL 7.50/08/90 3.2SN BK BX
1628760000	SL 7.50/09/90 4.5SN BK BX	tbd	SL 7.50/09/90 3.2SN BK BX
1628770000	SL 7.50/10/90 4.5SN BK BX	tbd	SL 7.50/10/90 3.2SN BK BX
1628780000	SL 7.50/11/90 4.5SN BK BX	tbd	SL 7.50/11/90 3.2SN BK BX
1628790000	SL 7.50/12/90 4.5SN BK BX	tbd	SL 7.50/12/90 3.2SN BK BX
1628580000	SL 7.50/02/90 4.5SN OR BX	1628360000	SL 7.50/02/90 3.2SN OR BX
1628590000	SL 7.50/03/90 4.5SN OR BX	1628370000	SL 7.50/03/90 3.2SN OR BX
1628600000	SL 7.50/04/90 4.5SN OR BX	1628380000	SL 7.50/04/90 3.2SN OR BX
1628610000	SL 7.50/05/90 4.5SN OR BX	1628390000	SL 7.50/05/90 3.2SN OR BX
1628620000	SL 7.50/06/90 4.5SN OR BX	1628400000	SL 7.50/06/90 3.2SN OR BX
1628630000	SL 7.50/07/90 4.5SN OR BX	1628410000	SL 7.50/07/90 3.2SN OR BX
1628640000	SL 7.50/08/90 4.5SN OR BX	1628420000	SL 7.50/08/90 3.2SN OR BX
1628650000	SL 7.50/09/90 4.5SN OR BX	1628430000	SL 7.50/09/90 3.2SN OR BX
1628660000	SL 7.50/10/90 4.5SN OR BX	1628440000	SL 7.50/10/90 3.2SN OR BX
1628670000	SL 7.50/11/90 4.5SN OR BX	1628450000	SL 7.50/11/90 3.2SN OR BX
1628680000	SL 7.50/12/90 4.5SN OR BX	1628460000	SL 7.50/12/90 3.2SN OR BX
1628910000	SL 7.50/02/90B 4.5SN BK BX	tbd	SL 7.50/02/90B 3.2SN BK BX
1628920000	SL 7.50/03/90B 4.5SN BK BX	tbd	SL 7.50/03/90B 3.2SN BK BX
1628930000	SL 7.50/04/90B 4.5SN BK BX	tbd	SL 7.50/04/90B 3.2SN BK BX
1628940000	SL 7.50/05/90B 4.5SN BK BX	tbd	SL 7.50/05/90B 3.2SN BK BX
1628950000	SL 7.50/06/90B 4.5SN BK BX	tbd	SL 7.50/06/90B 3.2SN BK BX
1628960000	SL 7.50/07/90B 4.5SN BK BX	tbd	SL 7.50/07/90B 3.2SN BK BX
1628970000	SL 7.50/08/90B 4.5SN BK BX	tbd	SL 7.50/08/90B 3.2SN BK BX
1628980000	SL 7.50/09/90B 4.5SN BK BX	tbd	SL 7.50/09/90B 3.2SN BK BX
1628990000	SL 7.50/10/90B 4.5SN BK BX	tbd	SL 7.50/10/90B 3.2SN BK BX
1629000000	SL 7.50/11/90B 4.5SN BK BX	tbd	SL 7.50/11/90B 3.2SN BK BX
1629010000	SL 7.50/12/90B 4.5SN BK BX	tbd	SL 7.50/12/90B 3.2SN BK BX
1628800000	SL 7.50/02/90B 4.5SN OR BX	1628470000	SL 7.50/02/90B 3.2SN OR BX
1628810000	SL 7.50/03/90B 4.5SN OR BX	1628480000	SL 7.50/03/90B 3.2SN OR BX
1628820000	SL 7.50/04/90B 4.5SN OR BX	1628490000	SL 7.50/04/90B 3.2SN OR BX
1628830000	SL 7.50/05/90B 4.5SN OR BX	1628500000	SL 7.50/05/90B 3.2SN OR BX
1628840000	SL 7.50/06/90B 4.5SN OR BX	1628510000	SL 7.50/06/90B 3.2SN OR BX
1628850000	SL 7.50/07/90B 4.5SN OR BX	1628520000	SL 7.50/07/90B 3.2SN OR BX
1628860000	SL 7.50/08/90B 4.5SN OR BX	1628530000	SL 7.50/08/90B 3.2SN OR BX
1628870000	SL 7.50/09/90B 4.5SN OR BX	1628540000	SL 7.50/09/90B 3.2SN OR BX
1628880000	SL 7.50/10/90B 4.5SN OR BX	1628550000	SL 7.50/10/90B 3.2SN OR BX
1628890000	SL 7.50/11/90B 4.5SN OR BX	1628560000	SL 7.50/11/90B 3.2SN OR BX
1628900000	SL 7.50/12/90B 4.5SN OR BX	1628570000	SL 7.50/12/90B 3.2SN OR BX
1623710000	SL 7.62/02/90 4.5SN OR BX	1624150000	SL 7.62/02/90 3.2SN OR BX
1623720000	SL 7.62/03/90 4.5SN OR BX	1624160000	SL 7.62/03/90 3.2SN OR BX
1623730000	SL 7.62/04/90 4.5SN OR BX	1624170000	SL 7.62/04/90 3.2SN OR BX
1623740000	SL 7.62/05/90 4.5SN OR BX	1624180000	SL 7.62/05/90 3.2SN OR BX
1623750000	SL 7.62/06/90 4.5SN OR BX	1624190000	SL 7.62/06/90 3.2SN OR BX
1623760000	SL 7.62/07/90 4.5SN OR BX	1624200000	SL 7.62/07/90 3.2SN OR BX
1623770000	SL 7.62/08/90 4.5SN OR BX	1624210000	SL 7.62/08/90 3.2SN OR BX
1623780000	SL 7.62/09/90 4.5SN OR BX	1624220000	SL 7.62/09/90 3.2SN OR BX
1623790000	SL 7.62/10/90 4.5SN OR BX	1624230000	SL 7.62/10/90 3.2SN OR BX
1623800000	SL 7.62/11/90 4.5SN OR BX	1624240000	SL 7.62/11/90 3.2SN OR BX
1623810000	SL 7.62/12/90 4.5SN OR BX	1624250000	SL 7.62/12/90 3.2SN OR BX

1623820000	SL 7.62/02/90 4.5SN BK BX	tbd	SL 7.62/02/90 3.2 SN BK BX
1623830000	SL 7.62/03/90 4.5SN BK BX	tbd	SL 7.62/03/90 3.2 SN BK BX
1623840000	SL 7.62/04/90 4.5SN BK BX	tbd	SL 7.62/04/90 3.2 SN BK BX
1623850000	SL 7.62/05/90 4.5SN BK BX	tbd	SL 7.62/05/90 3.2 SN BK BX
1623860000	SL 7.62/06/90 4.5SN BK BX	tbd	SL 7.62/06/90 3.2 SN BK BX
1623870000	SL 7.62/07/90 4.5SN BK BX	tbd	SL 7.62/07/90 3.2 SN BK BX
1623880000	SL 7.62/08/90 4.5SN BK BX	tbd	SL 7.62/08/90 3.2 SN BK BX
1623890000	SL 7.62/09/90 4.5SN BK BX	tbd	SL 7.62/09/90 3.2 SN BK BX
1623900000	SL 7.62/10/90 4.5SN BK BX	tbd	SL 7.62/10/90 3.2 SN BK BX
1623910000	SL 7.62/11/90 4.5SN BK BX	1189920000	SL 7.62/11/90 3.2SN BK BX
1623920000	SL 7.62/12/90 4.5SN BK BX	tbd	SL 7.62/12/90 3.2 SN BK BX
1623930000	SL 7.62/02/90B 4.5SN OR BX	1624370000	SL 7.62/02/90B 3.2SN OR BX
1623940000	SL 7.62/03/90B 4.5SN OR BX	1624380000	SL 7.62/03/90B 3.2SN OR BX
1623950000	SL 7.62/04/90B 4.5SN OR BX	1624390000	SL 7.62/04/90B 3.2SN OR BX
1623960000	SL 7.62/05/90B 4.5SN OR BX	1624400000	SL 7.62/05/90B 3.2SN OR BX
1623970000	SL 7.62/06/90B 4.5SN OR BX	1624410000	SL 7.62/06/90B 3.2SN OR BX
1623980000	SL 7.62/07/90B 4.5SN OR BX	1624420000	SL 7.62/07/90B 3.2SN OR BX
1623990000	SL 7.62/08/90B 4.5SN OR BX	1624430000	SL 7.62/08/90B 3.2SN OR BX
1624000000	SL 7.62/09/90B 4.5SN OR BX	1624440000	SL 7.62/09/90B 3.2SN OR BX
1624010000	SL 7.62/10/90B 4.5SN OR BX	1624450000	SL 7.62/10/90B 3.2SN OR BX
1624020000	SL 7.62/11/90B 4.5SN OR BX	1624460000	SL 7.62/11/90B 3.2SN OR BX
1624030000	SL 7.62/12/90B 4.5SN OR BX	1624470000	SL 7.62/12/90B 3.2SN OR BX
1624040000	SL 7.62/02/90B 4.5SN BK BX	tbd	SL 7.62/02/90B 3.2 SN BK BX
1624050000	SL 7.62/03/90B 4.5SN BK BX	tbd	SL 7.62/03/90B 3.2 SN BK BX
1624060000	SL 7.62/04/90B 4.5SN BK BX	tbd	SL 7.62/04/90B 3.2 SN BK BX
1624070000	SL 7.62/05/90B 4.5SN BK BX	tbd	SL 7.62/05/90B 3.2 SN BK BX
1624080000	SL 7.62/06/90B 4.5SN BK BX	tbd	SL 7.62/06/90B 3.2 SN BK BX
1624090000	SL 7.62/07/90B 4.5SN BK BX	tbd	SL 7.62/07/90B 3.2 SN BK BX
1624100000	SL 7.62/08/90B 4.5SN BK BX	tbd	SL 7.62/08/90B 3.2 SN BK BX
1624110000	SL 7.62/09/90B 4.5SN BK BX	tbd	SL 7.62/09/90B 3.2 SN BK BX
1624120000	SL 7.62/10/90B 4.5SN BK BX	tbd	SL 7.62/10/90B 3.2 SN BK BX
1624130000	SL 7.62/11/90B 4.5SN BK BX	tbd	SL 7.62/11/90B 3.2 SN BK BX
1624140000	SL 7.62/12/90B 4.5SN BK BX	tbd	SL 7.62/12/90B 3.2 SN BK BX
1624590000	SL 7.62/02/180 4.5SN OR BX	1625030000	SL 7.62/02/180 3.2 SN OR BX
1624600000	SL 7.62/03/180 4.5 SN OR BX	1625040000	SL 7.62/03/180 3.2 SN OR BX
1624610000	SL 7.62/04/180 4.5SN OR BX	1625050000	SL 7.62/04/180 3.2 SN OR BX
1624620000	SL 7.62/05/180 4.5SN OR BX	1625060000	SL 7.62/05/180 3.2 SN OR BX
1624630000	SL 7.62/06/180 4.5SN OR BX	1625070000	SL 7.62/06/180 3.2 SN OR BX
1624640000	SL 7.62/07/180 4.5SN OR BX	1625080000	SL 7.62/07/180 3.2 SN OR BX
1624650000	SL 7.62/08/180 4.5SN OR BX	1625090000	SL 7.62/08/180 3.2 SN OR BX
1624660000	SL 7.62/09/180 4.5SN OR BX	1625100000	SL 7.62/09/180 3.2 SN OR BX
1624670000	SL 7.62/10/180 4.5SN OR BX	1625110000	SL 7.62/10/180 3.2 SN OR BX
1624680000	SL 7.62/11/180 4.5SN OR BX	1625120000	SL 7.62/11/180 3.2 SN OR BX
1624690000	SL 7.62/12/180 4.5SN OR BX	1625130000	SL 7.62/12/180 3.2 SN OR BX
1624700000	SL 7.62/02/180 4.5SN BK BX	tbd	SL 7.62/02/180 3.2 SN BK BX
1624710000	SL 7.62/03/180 4.5SN BK BX	tbd	SL 7.62/03/180 3.2 SN BK BX
1624720000	SL 7.62/04/180 4.5SN BK BX	tbd	SL 7.62/04/180 3.2 SN BK BX
1624730000	SL 7.62/05/180 4.5 SN BK BX	tbd	SL 7.62/05/180 3.2 SN BK BX
1624740000	SL 7.62/06/180 4.5SN BK BX	tbd	SL 7.62/06/180 3.2 SN BK BX
1624750000	SL 7.62/07/180 4.5SN BK BX	tbd	SL 7.62/07/180 3.2 SN BK BX
1624760000	SL 7.62/08/180 4.5SN BK BX	tbd	SL 7.62/08/180 3.2 SN BK BX
1624770000	SL 7.62/09/180 4.5SN BK BX	tbd	SL 7.62/09/180 3.2 SN BK BX
1624780000	SL 7.62/10/180 4.5SN BK BX	tbd	SL 7.62/10/180 3.2 SN BK BX
1624790000	SL 7.62/11/180 4.5SN BK BX	1189910000	SL 7.62/11/180 3.2 SN BK BX
1624800000	SL 7.62/12/180 4.5SN BK BX	tbd	SL 7.62/12/180 3.2 SN BK BX

1624810000	SL 7.62/02/180B 4.5SN OR BX	1625250000	SL 7.62/02/180B 3.2 SN OR BX
1624820000	SL 7.62/03/180B 4.5SN OR BX	1625260000	SL 7.62/03/180B 3.2 SN OR BX
1624830000	SL 7.62/04/180B 4.5SN OR BX	1625270000	SL 7.62/04/180B 3.2 SN OR BX
1624840000	SL 7.62/05/180B 4.5SN OR BX	1625280000	SL 7.62/05/180B 3.2 SN OR BX
1624850000	SL 7.62/06/180B 4.5SN OR BX	1625290000	SL 7.62/06/180B 3.2 SN OR BX
1624860000	SL 7.62/07/180B 4.5 SN OR BX	1625300000	SL 7.62/07/180B 3.2 SN OR BX
1624870000	SL 7.62/08/180B 4.5SN OR BX	1625310000	SL 7.62/08/180B 3.2 SN OR BX
1624880000	SL 7.62/09/180B 4.5SN OR BX	1625320000	SL 7.62/09/180B 3.2 SN OR BX
1624890000	SL 7.62/10/180B 4.5SN OR BX	1625330000	SL 7.62/10/180B 3.2 SN OR BX
1624900000	SL 7.62/11/180B 4.5SN OR BX	1625340000	SL 7.62/11/180B 3.2 SN OR BX
1624910000	SL 7.62/12/180B 4.5 SN OR BX	1625350000	SL 7.62/12/180B 3.2 SN OR BX
1624920000	SL 7.62/02/180B 4.5 SN BK BX	tdb	SL 7.62/02/180B 3.2 SN BK BX
1624930000	SL 7.62/03/180B 4.5SN BK BX	1216790000	SL 7.62/03/180B 3.2SN BK BX
1624940000	SL 7.62/04/180B 4.5 SN BK BX	tdb	SL 7.62/04/180B 3.2 SN BK BX
1624950000	SL 7.62/05/180B 4.5SN BK BX	1216800000	SL 7.62/05/180B 3.2SN BK BX
1624960000	SL 7.62/06/180B 4.5 SN BK BX	tdb	SL 7.62/06/180B 3.2 SN BK BX
1624970000	SL 7.62/07/180B 4.5SN BK BX	tdb	SL 7.62/07/180B 3.2 SN BK BX
1624980000	SL 7.62/08/180B 4.5SN BK BX	tdb	SL 7.62/08/180B 3.2 SN BK BX
1624990000	SL 7.62/09/180B 4.5SN BK BX	tdb	SL 7.62/09/180B 3.2 SN BK BX
1625000000	SL 7.62/10/180B 4.5SN BK BX	tdb	SL 7.62/10/180B 3.2 SN BK BX
1625010000	SL 7.62/11/180B 4.5SN BK BX	tdb	SL 7.62/11/180B 3.2 SN BK BX
1625020000	SL 7.62/12/180B 4.5SN BK BX	tdb	SL 7.62/12/180B 3.2 SN BK BX